

Flue-Cured

TOBACCO MARKET REVIEW



1972 CROP

UNITED STATES DEPARTMENT OF AGRICULTURE
AGRICULTURAL MARKETING SERVICE
TOBACCO DIVISION
WASHINGTON, D.C. 20250

MARCH 1973

TOB-FL-16

BRIEF OF FLUE-CURED TOBACCO GRADES

Type 11. Old Belt and Middle Belt Flue-cured tobacco produced principally in the Piedmont sections of Virginia and North Carolina.

Type 12. Eastern North Carolina Flue-cured tobacco produced principally in the coastal sections of North Carolina.

Type 13. South Carolina and Border North Carolina Flue-cured tobacco produced principally in the coastal sections of South Carolina and the southeastern counties of North Carolina.

Type 14. Georgia and Florida Flue-cured tobacco produced principally in southern Georgia and northern Florida.

KEY TO STANDARD TRADEMARKS

Groups	Qualities	Color Symbols	Combination Symbols
A - Wrappers	1 - Choice	L - Lemon	LS - Lemon slick
B - Leaf	2 - Fine	F - Orange	FS - Orange slick
H - Smoking Leaf	3 - Good	FR - Orange red	RR - Rank red
C - Cutters	4 - Fair	R - Red	RG - Rank green
X - Lugs	5 - Low	K - Variegated	XL - Lug side
P - Primings	6 - Poor	KR - Variegated scorched	KL - Variegated lemon
N - Nondescript		G - Green	KF - Variegated orange
S - Scrap		LV - Lemon greenish	KV - Variegated greenish
		FV - Orange greenish	KM - Variegated mixed

SUMMARY OF STANDARD GRADES

2 Grades of Wrappers	26 Grades of Leaf	19 Grades of Smoking Leaf	10 Grades of Cutters	10 Grades of Lugs
A1F	B1L B1F B1FR	H1L H1F	C1L C1F	X1L X1F
A2F	B2L B2F B2FR	H2L H2F	C2L C2F	X2L X2F
	B3L B3F B3FR B3R B3K	H3L H3F H3FR	C3L C3F	X3L X3F
	B4L B4F B4FR B4R B4K	H4L H4F H4FR H4K	C4L C4F	X4L X4F
	B5L B5F B5FR B5R B5K	H5L H5F H5FR H5K	C5L C5F	X5L X5F
	B6L B6F B6FR B6R B6K	H6L H6F H6FR H6K		
8 Grades of Primings	12 Grades of Greenish		16 Grades of Variegated	
P2L P2F				
P3L P3F	B3LV B3FV	X3LV X3FV	B3KL B3KF	
P4L P4F	B4LV B4FV C4LV C4FV	X4LV X4FV	B4KL B4KF B4KV C4KL C4KF X4KL X4KF X4KV	
P5L P5F	B5LV B5FV		B5KL B5KF B5KV	
			B6KL B6KF B6KV	
14 Grades of Slick		19 Grades of Green		
B3LS B3FS	X3LS X3FS			
B4LS B4FS	C4LS X4LS X4FS	B4GL B4GF	B4GR B4GK B4GG X4G X4GK P4G	
B5LS B5FS	C5LS	B5GL B5GF	B5GR B5GK B5GG X5G P5G	
B6LS B6FS		B6GL B6GF	B6GR B6GK	
7 Grades of Variegated Mixed	5 Grades of Variegated Scorched	2 Grades of Rank	9 Grades of Nondescript	1 Grade of Scrap
B3KM X3KM	B3KR		N1L N1GL	
B4KM C4KM X4KM	B4KR C4KR X4KR		N1XL N1GF	
B5KM	B5KR	B5RR B5RG	N1K N1GR	
B6KM			N1R N1GG	
			N2	



Special factors "U" (unsound) and "W" (doubtful-keeping order) may be applied to all grades. Tobacco not covered by the standard grades is designated "No-G."

C O N T E N T S

	<u>Page</u>
Map of auction markets and producing areas	4
Discussion	5
Opening and closing dates	6 - 7
Warehouses and buyers	6 - 7
Allotted sales opportunities	8
Warehouse charges	9
Applicable loan levels	9
Average basket weight	9
Producers' sales by types	10-11
Chart: Sales and Prices	12
Across-state-line sales	13
Receipts under Government loan program	13
Gross sales and resales by types	14-16
Summary of sales by Types	17
Summary of sales by States	17
Producers' sales by markets	18-19
Rank of flue-cured markets	20
Producers' sales by months and types	21
Gross sales by markets	22-23
Resales by markets	24-25
Season prices and schedule of loan rates by grades	26-33
Weekly and season prices by grades, Type 11(a)	34-35
Weekly and season prices by grades, Type 11(b)	36-37
Weekly and season prices by grades, Type 12	38-39
Weekly and season prices by grades, Type 13	40-41
Weekly and season prices by grades, Type 14	42
Dates of designation of markets	43
Composition of Crop	44-47
Percentage distribution of grades by Types	48-49
Percentage distribution of marketings by maturity	49
Percentage distribution, all flue-cured	50-51

The statistics on sales and markets in this Review were compiled from reports and records of the State Departments of Agriculture of Florida, Georgia, South Carolina, North Carolina, and Virginia; and from data furnished by marketing recorders employed through county ASCS offices; and from information received direct from markets and trade sources. The statistics on prices by grades were based on the compilation of data recorded from warehouse sales tickets from representative markets in the flue-cured area.

FLUE-CURED TOBACCO AUCTION MARKETS AND PRODUCING AREAS



REVIEW OF THE 1972 FLUE-CURED MARKETING SEASON

All-time record average.

Unusually good quality.

Strong demand.

Lowest loan receipts ever.

Early openings in Northern belts.

The 1972 flue-cured marketing season was unique. The combination of a smaller crop, good quality, and short inventories of leaf, produced a sellers' market for 2½ months during which every basket was in demand and prices soared to record levels. Average prices started in the 80's and peaked in the 90's before the market began to slip in mid-October. The quality of the crop was judged to be one of the best in many years despite some quantities of unripe leaf which appeared late in the season. The volume placed under Government loan was the lowest since the beginning of the current price support program in 1946. The Industry-wide Flue-cured Tobacco Marketing Committee arranged for limited openings in the Middle, Eastern, and Old Belts two to three weeks earlier than usual.

Sales and averages. USDA's Agricultural Marketing Service reported a net average price of \$85.37 per hundred pounds for the total 1972 flue-cured crop (Types 11-14 combined) - \$8.13 above the previous record of \$77.24 for the 1971 crop. Producers' sales at auction this season totaled 1,015.6 million pounds and returned \$867.0 million to growers.

Composition of offerings. Despite a smaller volume, the 1972 crop contained considerably more fine, good, and fair quality tobacco than the 1971 production. Almost 50 percent of the lots carried grades with the orange color symbol and B3F, B4F, and B5F together accounted for 22 percent of total volume.

Grade averages. Increases were mostly \$6 to \$8 per hundred pounds over 1971 and were uniform throughout the groups. Good to choice qualities did not do as well as lower quality grades. Of the 150 grades for which the volume was sufficient to quote prices, 21 averaged above \$90 - only 28 averaged below \$80.

Sales, average prices, and loan receipts, by separate types, 1972 and 1971 crops.

Type	1972 CROP					1971 CROP				
	PRODUCERS' SALES			LOAN RECEIPTS		PRODUCERS' SALES			LOAN	RECEIPTS
	Volume Mill. lbs.	Value Mil. Dol.	Average Price per cwt.	Volume (green weight) 1,000 pounds	Percent of Net Sales	Volume Mill. lbs.	Value Mil. Dol.	Average Price per cwt.	Volume (green weight) 1,000 pounds	Percent of Net Sales
11(a)	191.7	157.7	\$2.29	11.5	6.9	211.0	163.4	\$7.43	9.3	4.3
11(b)	105.0	89.2	\$4.96	3.1	3.0	113.2	87.5	\$7.28	3.4	4.8
12	316.4	276.4	\$7.34	8.2	2.6	319.4	243.4	\$7.53	19.2	6.1
13	242.3	206.8	\$5.34	1.1	.5	219.1	196.3	\$5.77	15.5	6.0
14	160.2	136.9	\$5.45	.4	.3	171.6	134.2	\$6.85	6.4	3.7
11-14	1,015.6	867.0	\$85.37	24.3	2.4	1,074.3	829.8	\$77.24	31.6	5.2

Loan receipts. Only 24.3 million pounds or 2.4 percent of the 1972 crop were delivered to the Stabilization Corporation. This was the smallest volume ever received by the Cooperative in a single season.

Marketing regulation. Markets operated on a four-day week with no sales on Friday. Schedules and sales quotas were set on a weekly basis within the framework established by the Industry-wide Flue-cured Tobacco Marketing Committee to control the flow of tobacco for orderly marketing. (See Table 2 for weekly schedules and sales opportunities.)

Government price support program. Loan rates by grades for the 1972 flue-cured crop reflected an average support level of 72.7 cents per pound compared to 69.4 cents for the 1971 crop. For the first time, rates were the same for both untied and tied offerings. To be eligible for price support growers were required to certify that they had not used DDT or TDE insecticides on their crop. USDA conducted random samplings on all markets to check compliance.

Acreage-poolage program. USDA has announced a national marketing quota and acreage allotment of 1,179.0 million pounds and 635,922 acres for the 1973 crop of flue-cured tobacco. However, the addition of undermarketings and the subtraction of overmarketings for previous years should result in an effective quota of 1,210.0 million pounds on 656,000 acres. A referendum will be held during 1973 to determine if growers desire to continue the program for the 1974-76 crops.

Table 1. - Opening and closing dates of marketing season, warehouses, and buyers of tobacco sold at auction in the United States, by types, states, and markets, 1972 and 1971 crops.

TYPE 11(a) -- OLD BELT FLUE-CURED

States and Markets	1972						1971					
	Markets	Opening Dates	Closing Dates	Sales Days	Warehouses	Buyers	Opening Dates	Closing Dates	Sales Days	Warehouses	Buyers	
		Number		Number	Number	Sets			Number	Number	Sets	
Virginia:												
~ Brookneal		Sept. 11	Nov. 2	29	3	1	Sept. 20	Nov. 11	30	3	1	
~ Chase City		Sept. 11	Nov. 8	32	4	1	Sept. 20	Nov. 10	29	4	1	
~ Clarksville		Sept. 11	Oct. 31	27	3	1	Sept. 20	Nov. 9	28	3	1	
~ Danville		Aug. 22	Nov. 15 1/	45	8	4	Sept. 20	Nov. 30 2/	36	8	4	
~ Kenbridge		Sept. 11	Oct. 26	25	4	1	Sept. 20	Nov. 10	29	4	1	
~ Lawrenceville		Aug. 22	Oct. 31	38	3	1	Sept. 20	Nov. 9	28	3	1	
~ Martinsville		Sept. 11	Nov. 2	29	2	1	Sept. 20	Nov. 11	30	2	1	
Petersburg		Sept. 11	Oct. 26	25	4	1	Sept. 20	Nov. 4	26	4	1	
~ South Boston		Aug. 22	Nov. 14 1/	44	9	2	Sept. 20	Nov. 23 2/	33	9	2	
South Hill		Sept. 11	Oct. 31	27	4	1	Sept. 20	Nov. 10	29	4	1	
Total		10		44	14				44	14		
North Carolina:												
~ Burlington		Sept. 11	Nov. 2	29	3	1	Sept. 20	Nov. 11	30	3	1	
~ Greensboro		Sept. 11	Oct. 31	27	2	1	Sept. 20	Nov. 10	29	2	1	
~ Madison		Sept. 11	Nov. 2	29	4	1	Sept. 20	Nov. 11	30	3	1	
~ Mebane		Sept. 11	Oct. 26	25	2	1	Sept. 20	Nov. 9	28	2	1	
~ Mt. Airy		Sept. 11	Nov. 6	30	3	1	Sept. 20	Nov. 16	32	3	1	
~ Reidsville		Sept. 11	Nov. 8	32	3	1	Sept. 20	Nov. 16	32	3	1	
~ Roxboro		Sept. 11	Nov. 2	29	5	1	Sept. 20	Nov. 16	32	7	1	
~ Stoneville		Aug. 22	Nov. 2	40	5	1	Sept. 20	Nov. 11	30	4	1	
~ Winston-Salem		Aug. 22	Nov. 14	46	10	4	Sept. 20	Nov. 18	34	9	4	
~ Yadkinville		Sept. 11	Oct. 31	27	4	1	Sept. 20	Nov. 4	26	3	1	
Total		10		41	13				39	13		
Total Type 11(a)		20		85	27				83	27		

TYPE 11(b) -- MIDDLE BELT FLUE-CURED

North Carolina:												
~ Aberdeen		Sept. 11	Oct. 25	25	3	1	Sept. 13	Nov. 3	29	3	1	
~ Carthage		Sept. 11	Oct. 26	26	3	1	Sept. 13	Nov. 3	29	3	1	
~ Durham		Aug. 22	Nov. 2	40	6	3	Sept. 13	Nov. 11	34	6	3	
~ Ellerbe		Sept. 11	Oct. 12	19	4	1	Sept. 13	Oct. 28	26	2	1	
~ Fuquay-Varina		Aug. 22	Nov. 7	42	6	2	Sept. 13	Nov. 11	34	5	2	
~ Henderson		Sept. 11	Oct. 31	28	12	2	Sept. 13	Nov. 9	32	12	2	
~ Louisburg		Sept. 11	Nov. 2	30	4	1	Sept. 13	Nov. 11	34	3	1	
~ Oxford		Aug. 22	Nov. 14	46	6	2	Sept. 13	Nov. 16	36	7	2	
~ Sanford		Sept. 11	Oct. 26	26	4	1	Sept. 13	Nov. 3	29	4	1	
~ Warrenton		Sept. 11	Oct. 31	28	5	1	Sept. 13	Nov. 9	32	5	1	
Total Type 11(b)		10		53	15				50	15		

TYPE 12 -- EASTERN NORTH CAROLINA FLUE-CURED

North Carolina:												
~ Ahoskie		Aug. 22	Oct. 25	35	3	1	Aug. 30	Oct. 28	33	3	1	
~ Clinton		Aug. 22	Oct. 26	36	3	1	Aug. 30	Nov. 3	36	3	1	
Dunn		Aug. 22	Oct. 25	35	2	1	Aug. 30	Nov. 2	35	2	1	
Farmville		Aug. 8	Nov. 2	48	7	2	Aug. 30	Nov. 9	39	7	2	
Goldsboro		Aug. 8	Oct. 31	46	4	1	Aug. 30	Nov. 4	37	4	1	
Greenville		Aug. 8	Oct. 31	46	7	5	Aug. 30	Nov. 4	37	7	5	
Kinston		Aug. 8	Oct. 26	44	8	4	Aug. 30	Nov. 2	35	9	4	
Robersonville		Aug. 22	Oct. 26	36	5	1	Aug. 30	Nov. 4	37	5	1	
Rocky Mount		Aug. 8	Nov. 6	49	8	4	Aug. 30	Nov. 9	39	9	4	
Smithfield		Aug. 8	Oct. 26	44	5	2	Aug. 30	Nov. 4	37	6	2	
Tarboro		Aug. 22	Oct. 25	35	5	1	Aug. 30	Nov. 2	35	5	1	
Wallace		Aug. 22	Oct. 24	34	4	1	Aug. 30	Nov. 2	35	4	1	
Washington		Aug. 22	Oct. 19	33	3	1	Aug. 30	Oct. 28	33	3	1	
Wendell		Aug. 22	Oct. 26	36	5	1	Aug. 30	Nov. 2	35	5	1	
Williamston		Aug. 22	Oct. 26	36	3	1	Aug. 30	Nov. 4	37	3	1	
Wilson		Aug. 8	Nov. 9	52	14	5	Aug. 30	Nov. 16	43	14	5	
Windsor		Aug. 22	Oct. 19	33	4	1	Aug. 30	Oct. 26	31	4	1	
Total Type 12		17		90	33				93	33		

1/ Danville - Regular sales ended on Nov. 9. Clean-up sales were held Nov. 15. South Boston - Regular sales ended Nov. 7. Clean-up sales were held Nov. 13 and 14.

2/ Regular sales ended Nov. 18. Clean-up sales were held on Nov. 23 at South Boston and on Nov. 29 and 30 at Danville.

Continued -

Table 1. - Opening and closing dates of marketing season, warehouses, and buyers of tobacco sold at auction in the United States, by types, states, and markets, 1972 and 1971 crops.

TYPE 13 -- SOUTH CAROLINA AND BORDER NORTH CAROLINA FLUE-CURED

States and Markets	1972						1971					
	Markets	Opening Dates	Closing Dates	Sales Days	Ware-houses	Buyers	Opening Dates	Closing Dates	Sales Days	Ware-houses	Buyers	
South Carolina:												
Conway		July 25	Sept. 7	26	2	1	Aug. 3	Sept. 16	26	2	1	
Darlington		July 25	Aug. 24	19	4	1	Aug. 3	Sept. 16	26	4	1	
Dillon		July 25	Sept. 7	26	4	1	Aug. 3	Sept. 16	26	4	1	
Hemingway		July 25	Aug. 24	19	2	1	Aug. 3	Sept. 16	26	2	1	
Kingstree		July 25	Sept. 7	26	4	1	Aug. 3	Sept. 9	22	4	1	
Lake City		July 25	Sept. 28	38	8	4	Aug. 3	Sept. 30	34	8	4	
Lamar		July 25	Sept. 7	26	4	1	Aug. 3	Sept. 16	26	4	1	
Loris		July 25	Sept. 7	26	2	1	Aug. 3	Sept. 16	26	2	1	
Mullins		July 25	Sept. 28	38	10	4	Aug. 3	Sept. 30	34	10	4	
Pamplico		July 25	Sept. 7	26	4	1	Aug. 3	Sept. 9	22	4	1	
Timmonsville		July 25	Sept. 21	34	3	2	Aug. 3	Sept. 23	30	3	2	
Total		11			47	18				47	18	
North Carolina:												
Chadbourn		July 25	Sept. 7	26	2	1	Aug. 3	Sept. 16	26	2	1	
Clarkton		July 25	Aug. 31	23	4	1	Aug. 3	Sept. 9	22	4	1	
Fair Bluff		July 25	Sept. 7	26	5	1	Aug. 3	Sept. 9	22	5	1	
Fairmont		July 25	Sept. 28	38	11	4	Aug. 3	Sept. 30	34	11	4	
Fayetteville		July 25	Sept. 7	26	2	1	Aug. 3	Sept. 16	26	2	1	
Lumberton		July 25	Sept. 28	38	8	3	Aug. 3	Sept. 30	34	8	3	
Tabor City		July 25	Sept. 7	26	2	1	Aug. 3	Sept. 16	26	2	1	
Whiteville		July 25	Sept. 28	38	8	3	Aug. 3	Oct. 14 3/	37	8	3	
Total		8			42	15				42	15	
Total Type 13		19			89	33				89	33	

TYPE 14 -- GEORGIA AND FLORIDA FLUE-CURED

Georgia:												
Adel		July 25	Aug. 17	15	4	1	Aug. 3	Sept. 9	22	4	1	
Alma		July 25	Aug. 17	15	6	1	Aug. 3	Sept. 9	22	6	1	
Baxley		July 25	Aug. 17	15	5	1	Aug. 3	Aug. 26	15	5	1	
Blackshear		July 25	Sept. 7	26	6	2	Aug. 3	Aug. 26	15	6	2	
Claxton		July 25	Aug. 17	15	4	1	Aug. 3	Sept. 9	22	4	1	
Douglas		July 25	Sept. 7	26	4	2	Aug. 3	Sept. 9	22	4	2	
Fitzgerald		July 25	Aug. 17	15	4	1	Aug. 3	Sept. 9	22	4	1	
Hahira		July 25	Aug. 17	15	4	1	Aug. 3	Aug. 26	15	5	1	
Hazlehurst		July 25	Aug. 17	15	3	1	Aug. 3	Aug. 26	15	3	1	
Metter		July 25	Aug. 17	15	2	1	Aug. 3	Aug. 26	15	2	1	
Moultrie		July 25	Sept. 7	26	8	2	Aug. 3	Sept. 9	22	10	2	
Nashville		July 25	Sept. 7	26	4	2	Aug. 3	Aug. 26	15	4	2	
Pearson		July 25	Aug. 17	15	2	1	Aug. 3	Aug. 26	15	1	1	
Pelham		July 25	Aug. 17	15	2	1	Aug. 3	Aug. 26	15	1	1	
Quitman		July 25	Aug. 17	15	3	1	Aug. 3	Sept. 9	22	3	1	
Statesboro		July 25	Sept. 7	26	11	2	Aug. 3	Sept. 9	22	10	2	
Swainsboro		July 25	Aug. 17	15	2	1	Aug. 3	Aug. 26	15	3	1	
Sylvester		July 25	Aug. 17	15	3	1	Aug. 3	Aug. 26	15	2	1	
Thomasville		July 25	Aug. 17	15	3	1	Aug. 3	Aug. 26	15	2	1	
Tifton		July 25	Sept. 6	25	5	2	Aug. 3	Aug. 26	15	5	2	
Valdosta		July 25	Aug. 31	23	3	2	Aug. 3	Aug. 26	15	3	2	
Vidalia		July 25	Sept. 7	26	6	2	Aug. 3	Aug. 26	15	6	2	
Waycross		July 25	Aug. 17	15	4	1	Aug. 3	Aug. 26	15	4	1	
Total		23			98	31				97	31	
Florida:												
High Springs		July 25	Aug. 17	15	3	1	Aug. 3	Aug. 26	15	3	1	
Jasper		July 25	Aug. 17	15	4	1	Aug. 3	Aug. 26	15	4	1	
Lake City		July 25	Aug. 17	15	3	1	Aug. 3	Aug. 26	15	3	1	
Live Oak		July 25	Aug. 31	23	6	2	Aug. 3	Sept. 2	19	6	2	
Madison		July 25	Aug. 17	15	2	1	Aug. 3	Aug. 26	15	2	1	
Total		5			18	6				18	6	
Total Type 14		28			116	37				115	37	
Total 11 - 14		94			433	145				430	145	

3/ Regular sales ended on Sept. 30. Clean-up sales held October 12, 13, and 14.

Table 2.- Allotted sales opportunities compared to actual gross sales, 1972 crop. 1/

Week Ending:	TYPE 14		TYPE 13		TYPE 12		TYPE 11(b)		TYPE 11(a)		TYPES 11-14			
	Sets of Buyers	Sales	Sets of Sales	South Carolina	Sets of Sales	Sets of Buyers	Sales	Sets of Buyers	Sales	Buyers	Opport.	Sales	Buyers	Opport.
- - - - - Thousands of Pounds - - - - -														
July 28	37	31,830	18	15,237	15	12,531						70	59,598	59,174
Aug. 4	37	42,976	18	20,316	15	16,708						70	80,000	79,942
Aug. 11	28	31,224	18	20,316	15	16,708	11	8,217				61-72	76,465	76,542
Aug. 18	28	34,800	18	22,068	15	16,708	11	10,956				72	84,532	82,911
Aug. 25	9	11,508	16	19,616	12	13,368	11-29	33,270	4	2,905	7	5,034	48-77	85,701
Sept. 1	9	9,640	14	17,164	12	13,368	29	32,472	4	3,874	7	6,712	75	83,230
Sept. 8	7-6	6,081	14	12,873	11	10,026	29	24,654	4	2,905	7	5,034	72-71	61,573
Sept. 15			3	3,995	3	3,340	29	32,872	14	14,436	25	26,076	74	80,719
Sept. 22	3	4,196	3	3,800	29	34,268	14	14,896	25	26,900	74	84,060	83,569	
Sept. 29			2	3,040	3	3,800	29	34,268	14	14,896	25	26,900	73	82,904
Oct. 6							33	35,668	15	16,952	27	30,612	75	83,232
Oct. 13							33	26,751	15	12,715	27	22,959	75	62,425
Oct. 20							33	35,668	14	17,840	27	30,612	74	84,120
Oct. 27							27-23	20,536	14-13	12,411	27	22,884	68-63	55,831
Nov. 3							11- 8	10,268	11- 8	11,502	24-19	24,296	46-35	46,066
Nov. 10							6- 3	4,054	4- 2	3,632	13- 6	11,020	23-11	18,706
Nov. 17									1- 0	606	2- 1	1,415	3- 1	2,021
														1,193

1/ Based on schedules issued by the Industry-wide Flue-cured Tobacco Marketing Committee.

2/ Derived from weekly market news reports. (Sales limited to 76,000 pounds per hour, per set of buyers; basket weight limit 200 pounds)

Table 3.- Auction sales warehouse charges on flue-cured markets, 1972 crop.

State	Type	Auction Fee	Commission on Gross Sales <i>(Percent)</i>	Additional Charges
Florida)	14	15 cents on all piles of	2½	Weighing and handling, 10 cents
Georgia)	14	100 pounds or less and	2½	per pile on all piles of 100
North Carolina 1/)	11-13	25 cents on all piles	2½	pounds or less, and 10 cents
South Carolina)	13	over 100 pounds.	2½	for each additional 100 pounds.
Virginia 1/)	11	25 cents per pile.	2½	Weighing, 10 cents per 100 pounds

1/ State law.

Table 4.- Applicable loan level per pound, for flue-cured tobacco, 1954 to 1972 crops.

Crop 1/	Loan Level 2/						
	(Cents)		(Cents)		(Cents)		(Cents)
1954	47.9	1960	55.5	1966	58.8	1972	72.7
1955	48.3	1961	55.5	1967	59.9	1973	
1956	48.9	1962	56.1	1968	61.6	1974	
1957	50.8	1963	56.6	1969	63.8	1975	
1958	54.6	1964	57.2	1970	66.6	1976	
1959	55.5	1965	57.7	1971	69.4	1977	

1/ Data for the 1946-53 crops are included in the 1963 and earlier publications of the Market Review.

2/ Loan level for all flue-cured tobacco (Types 11-14 combined).

Table 5.- Average weight per lot of flue-cured tobacco; average 1955-59, 1960-64, 1965-69; annual 1965 to 1972. 1/

CROP	Type 11(a)	Type 11(b)	Type 12	Type 13	Type 14	Types 11-14
	Old Belt	Middle Belt	Eastern N. C.	S. C. and Border N. C.	Georgia and Florida	All Flue-cured
	(Pounds)	(Pounds)	(Pounds)	(Pounds)	(Pounds)	(Pounds)
Average:						
1955-59	180	168	177	166	155	171
1960-64	187	190	190	174	165	182
1965-69	168	170	171	170	163	169
Annual:						
1965	199	200	199	189	176	193
1966 2/	156	163	171	154	157	161
1967 2/	173	177	176	179	162	173
1968 2/	158	153	155	168	160	159
1969 2/	156	155	153	162	162	157
1970 2/	156	157	161	166	168	162
1971 2/	167	167	167	171	169	168
1972 2/	164	171	170	172	167	169
1973						
1974						
1975						
1976						
1977						

1/ Annual data for the 1947 to 1964 crops are included in the 1965 and earlier Market Reviews.

2/ Beginning in 1966 the maximum allowable pounds were reduced from 300 pounds to 200 pounds per pile.

Table 6.- PRODUCERS' sales, value, and average price, BY TYPES, for flue-cured tobacco, crops of 1947 to 1972. 1/

TYPE 11(a) - OLD BELT

Crop 2/	Sales	Value	Average Price	Crop	Sales	Value	Average Price
	Pounds	Dollars	Dollars		Pounds	Dollars	Dollars
1947	262,114,215	100,297,428	38.26	1962	291,218,759	176,388,472	60.57
1948	235,560,964	116,918,671	49.63	1963	281,214,430	155,481,609	55.29
1949	219,836,387	101,208,424	46.04	1964	314,277,419	186,265,833	59.27
1950	289,601,482	155,704,742	53.77	1965	222,204,621	144,051,283	64.83
1951	286,384,042	145,637,252	50.85	1966	255,509,883	159,535,827	62.44
1952	300,358,464	146,336,769	48.72	1967	248,087,248	153,395,757	61.83
1953	235,979,951	98,490,104	41.74	1968	192,062,383	124,451,913	64.80
1954	262,803,348	137,476,301	52.31	1969	224,369,620	160,301,798	71.45
1955	285,984,253	155,255,759	54.29	1970	221,288,859	155,425,876	70.24
1956	307,048,136	154,202,438	50.22	1971	211,006,251	163,376,182	77.43
1957	214,624,403	112,757,295	52.54	1972	191,643,264	157,710,357	82.29
1958	227,835,016	131,401,573	57.67	1973			
1959	226,919,679	121,814,341	53.68	1974			
1960	236,975,724	139,856,836	59.02	1975			
1961	246,655,509	156,205,999	63.33	1976			

TYPE 11(b) - MIDDLE BELT

1947	162,002,983	69,099,993	42.65	1962	171,898,450	104,581,808	60.84
1948	140,629,137	71,708,423	50.99	1963	165,337,354	95,051,596	57.49
1949	122,517,721	59,369,015	48.46	1964	177,578,510	104,985,097	59.12
1950	157,641,536	89,114,599	56.53	1965	108,026,541	68,444,459	63.36
1951	170,781,145	92,680,680	54.27	1966	143,394,974	92,214,964	64.31
1952	158,669,839	79,147,911	49.88	1967	145,328,001	91,276,366	62.81
1953	122,732,884	57,906,330	47.18	1968	106,603,657	68,416,363	64.18
1954	142,537,604	75,351,240	52.86	1969	111,647,113	79,847,256	71.52
1955	157,913,754	83,628,538	52.96	1970	125,465,425	87,914,387	70.07
1956	166,773,328	87,289,095	52.34	1971	113,235,768	87,505,872	77.28
1957	111,212,560	59,552,006	53.55	1972	104,963,197	89,176,792	84.96
1958	124,296,176	71,921,534	57.86	1973			
1959	122,899,800	70,265,616	57.17	1974			
1960	154,414,952	95,128,922	61.61	1975			
1961	146,297,458	95,283,770	65.13	1976			

TYPE 12 - EASTERN NORTH CAROLINA

1947	449,762,491	195,561,239	43.48	1962	400,129,062	239,716,394	59.91
1948	354,486,865	177,339,407	50.03	1963	421,882,034	247,680,810	58.71
1949	363,414,192	179,071,906	49.27	1964	420,093,250	238,216,548	56.71
1950	405,056,236	230,456,176	56.89	1965	296,024,450	187,386,497	63.30
1951	486,806,521	270,653,037	55.60	1966	328,736,141	225,475,919	68.59
1952	442,271,010	225,464,389	50.98	1967	346,319,605	224,636,700	64.86
1953	432,383,188	249,649,514	57.74	1968	287,009,702	194,193,390	67.66
1954	471,361,756	260,571,851	55.28	1969	313,143,261	226,984,176	72.49
1955	497,662,500	263,420,886	52.93	1970	358,241,279	260,897,452	72.83
1956	477,816,430	247,654,045	51.83	1971	316,362,168	248,454,294	78.53
1957	317,359,121	173,876,613	54.79	1972	316,441,050	276,394,101	87.34
1958	370,772,702	213,974,401	57.71	1973			
1959	328,378,308	192,736,686	58.69	1974			
1960	409,980,457	251,077,871	61.24	1975			
1961	386,055,705	252,729,976	65.46	1976			

See footnotes at end of table.

Continued -

Table 6.- PRODUCERS' sales, value, and average price, BY TYPES, for flue-cured tobacco, crops of 1947 to 1972. 1/

TYPE 13 - SOUTH CAROLINA AND BORDER NORTH CAROLINA

Crop 2/	Sales	Value	Average Price	Crop	Sales	Value	Average Price
	Pounds	Dollars	Dollars		Pounds	Dollars	Dollars
1947	274,534,800	116,521,051	42.44	1962	346,750,719	212,610,306	61.32
1948	230,831,008	117,969,574	51.11	1963	313,733,079	189,298,356	60.34
1949	255,965,670	126,579,824	49.45	1964	309,172,100	184,425,734	59.65
1950	270,552,334	151,456,903	55.98	1965	277,010,241	181,633,946	65.57
1951	321,780,728	168,580,047	52.39	1966	223,674,943	154,388,218	69.02
1952	292,942,824	153,555,782	52.42	1967	300,851,081	195,583,110	65.01
1953	304,068,064	174,556,446	57.41	1968	255,973,622	171,150,530	66.86
1954	270,015,885	139,813,783	51.78	1969	254,827,602	185,412,983	72.76
1955	343,169,268	186,473,557	54.34	1970	282,105,816	202,496,606	71.78
1956	302,568,285	162,480,165	53.70	1971	259,089,401	196,309,798	75.77
1957	222,405,664	132,792,659	59.71	1972	242,317,459	206,781,771	85.34
1958	235,835,421	141,908,291	60.17	1973			
1959	250,599,270	157,220,900	62.74	1974			
1960	279,815,114	173,750,806	62.09	1975			
1961	293,312,117	193,527,949	65.98	1976			

TYPE 14 - GEORGIA AND FLORIDA

1947	156,190,825	59,451,602	38.06	1962	190,308,873	107,869,014	56.68
1948	120,690,013	57,304,584	47.48	1963	182,008,168	104,320,747	57.32
1949	143,370,402	58,041,791	40.48	1964	157,770,918	93,055,511	58.98
1950	127,849,980	61,764,353	48.31	1965	155,051,918	102,638,782	66.20
1951	175,860,580	81,697,333	46.46	1966	155,004,127	108,526,147	70.01
1952	163,393,546	80,716,055	49.40	1967	206,896,521	135,655,587	65.57
1953	173,450,375	89,375,710	51.53	1968	153,995,962	105,286,821	68.37
1954	164,692,671	77,055,636	46.79	1969	146,715,739	107,683,665	73.40
1955	193,792,045	91,001,278	46.96	1970	190,998,985	141,975,628	74.33
1956	167,408,587	81,174,726	48.49	1971	174,622,082	134,200,109	76.85
1957	107,099,563	60,292,402	56.30	1972	160,209,770	136,904,729	85.45
1958	121,163,993	69,694,102	57.44	1973			
1959	148,056,375	86,378,417	58.34	1974			
1960	166,037,115	94,438,724	56.88	1975			
1961	176,610,768	104,595,980	59.22	1976			

TYPES 11-14 - TOTAL FLUE-CURED


1947	:1,304,605,314	540,931,313	41.46	1962	:1,400,305,863	841,165,994	60.07
1948	:1,082,197,987	541,240,659	50.01	1963	:1,364,175,065	791,833,118	58.04
1949	:1,105,104,372	524,270,960	47.44	1964	:1,378,892,197	806,948,723	58.52
1950	:1,250,701,568	688,496,773	55.05	1965	:1,058,317,771	684,154,967	64.65
1951	:1,441,613,016	759,248,349	52.67	1966	:1,106,320,068	740,141,075	66.90
1952	:1,357,635,683	685,220,906	50.47	1967	:1,247,482,456	800,547,520	64.17
1953	:1,268,614,462	669,978,104	52.81	1968	:995,645,366	663,499,017	66.64
1954	:1,311,411,264	690,268,811	52.64	1969	:1,050,703,335	760,229,878	72.35
1955	:1,478,521,820	779,780,018	52.74	1970	:1,178,100,364	848,709,949	72.04
1956	:1,421,614,766	732,800,469	51.55	1971	:1,074,315,670	829,846,255	77.24
1957	:972,701,311	539,270,975	55.44	1972	:1,015,574,740	866,967,750	85.37
1958	:1,079,903,308	628,899,901	58.24	1973			
1959	:1,076,853,432	628,415,960	58.36	1974			
1960	:1,247,223,362	754,253,159	60.47	1975			
1961	:1,248,931,557	802,343,674	64.24	1976			

1/ Auction sales.

2/ Data for crop years prior to 1947 may be found in the 1965 and earlier issues of the Market Review.

3/ ASCS quota records show producers' sales of 1,021,810,782 pounds or 6.2 million pounds more than auction sales.

FLUE-CURED TOBACCO, TYPES 11-14



PRODUCERS' SALES AND GENERAL AVERAGE PRICE.

U.S. DEPARTMENT OF AGRICULTURE

NEG. AMS

AGRICULTURAL MARKETING SERVICE

Table 7.- Across-state-line movement of flue-cured tobacco, reflecting NET SALES in states other than in the state in which produced, 1972 and 1971 crops.

State in which produced, and crop year	Total Sold Out of State	S O L D I N:				
		Florida	Georgia	South Carolina	North Carolina	Virginia
<u>1972 CROP 1/</u>						
Alabama	819,378	109,108	710,270			
Florida	1,538,568		1,538,568			
Georgia	828,249	812,229			16,020	
South Carolina	11,184,592	344,246	2,989,499		7,845,371	5,476
North Carolina	60,230,335	5,460,787	18,684,831	15,234,341		20,850,376
Virginia	6,724,145		66,080	274,778	6,383,287	
TOTAL	81,325,267	6,726,370	23,989,248	15,509,119	14,244,678	20,855,852
<u>1971 CROP</u>						
Alabama	1,023,327	51,942	966,783		650	3,952
Florida	2,066,313		2,066,313			
Georgia	728,700	656,107			1,690	70,903
South Carolina	14,520,381	1,353,347	4,563,715		8,588,961	14,358
North Carolina	78,469,630	5,240,997	26,780,462	21,831,607		24,616,564
Virginia	7,954,986		112,480	721,621	7,120,885	
TOTAL	104,763,337	7,302,393	34,489,753	22,555,568	15,784,701	24,630,922

1/ Not final - subject to revision.

Table 8.- Flue-cured tobacco received under Government loan program, and percentage of NET SALES, 1962 to 1972 crops. 1/

Crop 2/	TYPE 11(a)		TYPE 11(b)		TYPE 12	
	Receipts (green weight)	Percentage of net sales	Receipts (green weight)	Percentage of net sales	Receipts (green weight)	Percentage of net sales
	1,000 lbs.	Percent	1,000 lbs.	Percent	1,000 lbs.	Percent
1962	93,788	32.3	35,067	20.4	65,943	16.5
1963	128,763	45.8	38,491	23.3	62,967	14.9
1964	71,303	22.7	38,988	22.0	125,602	29.9
1965	21,221	9.5	9,578	8.9	19,435	6.6
1966	49,202	19.3	15,142	10.5	7,365	2.2
1967	84,497	34.1	49,672	34.2	79,780	23.0
1968	36,030	18.8	26,949	25.3	24,333	8.5
1969	24,169	10.8	14,924	13.4	37,255	11.9
1970	29,711	13.4	19,775	15.8	43,276	12.1
1971	9,098	4.3	5,401	4.8	19,204	6.1
1972	11,436	6.0	3,124	3.0	8,207	2.6
1973						
1974						
1975						

Crop 2/	TYPE 13		TYPE 14		TYPES 11-14	
	Receipts (green weight)	Percentage of net sales	Receipts (green weight)	Percentage of net sales	Receipts (green weight)	Percentage of net sales
	1,000 lbs.	Percent	1,000 lbs.	Percent	1,000 lbs.	Percent
1962	37,546	10.8	4,873	2.6	237,216	16.9
1963	41,433	13.2	5,511	3.0	277,165	20.3
1964	46,655	15.1	3,034	1.9	285,582	20.7
1965	18,858	6.8	2,401	1.5	71,493	6.8
1966	2,481	1.1	384	.3	74,574	6.8
1967	57,173	19.0	10,956	5.3	282,077	22.6
1968	29,466	11.5	12,001	7.8	128,779	12.9
1969	13,289	5.2	7,950	5.4	97,587	9.3
1970	28,761	10.2	22,703	11.9	144,226	12.2
1971	15,511	6.0	6,456	3.7	55,670	5.2
1972	1,094	.5	420	.3	24,281	2.4
1973						
1974						
1975						

1/ Received by the Flue-cured Tobacco Cooperative Stabilization Corporation, Raleigh, N. C.

2/ Data for the 1946-61 crops are included in the 1962 and earlier publications of the Market Review.

Table 9.- GROSS sales, value, and average price; and resales, average price, and percentage of gross sales by types, for flue-cured tobacco, crops of 1947 to 1972.

Crop 1/:	TYPE 11(a) - OLD BELT				Resales		
	Gross				Resales		Percentage of
	Sales	Value	Average	Price	Resales	Price	gross sales
	Pounds	Dollars	Pounds	Dollars	Pounds	Dollars	Percent
1947 :	277,981,556	105,939,037	38.11	15,867,341	35.55		5.7
1948 :	256,234,035	125,998,380	49.17	20,673,071	43.92		8.1
1949 :	243,387,418	110,751,814	45.50	23,551,031	40.52		9.7
1950 :	314,642,528	168,179,662	53.45	25,041,046	49.82		8.0
1951 :	312,174,466	157,505,045	50.45	25,790,424	46.02		8.3
1952 :	327,750,090	158,677,608	48.41	27,391,626	45.05		8.4
1953 :	253,816,075	106,569,259	41.99	17,836,124	45.30		7.0
1954 :	288,203,570	149,767,267	51.97	25,400,222	48.39		8.8
1955 :	310,720,407	167,147,505	53.79	24,736,154	48.07		8.0
1956 :	332,775,184	166,136,335	49.92	25,727,048	46.39		7.7
1957 :	235,097,153	122,932,284	52.29	20,472,750	49.70		8.7
1958 :	250,204,145	143,212,133	57.24	22,369,129	52.80		8.9
1959 :	250,431,554	133,250,571	53.21	23,511,875	48.64		9.4
1960 :	262,199,841	153,437,772	58.52	25,224,117	53.84		9.6
1961 :	271,589,328	170,793,663	62.89	24,933,819	58.51		9.2
1962 :	310,968,875	187,634,046	60.34	19,750,116	56.94		6.4
1963 :	296,123,684	163,470,934	55.20	14,909,254	53.59		5.0
1964 :	333,922,607	196,879,703	58.96	19,645,188	54.03		5.9
1965 :	241,835,932	156,458,357	64.70	19,631,311	63.20		8.1
1966 :	273,627,258	170,523,411	62.32	18,117,375	60.65		6.6
1967 :	259,754,261	160,671,132	61.86	11,667,013	62.36		4.5
1968 :	201,882,013	130,768,131	64.77	9,819,630	64.32		4.9
1969 :	234,872,110	167,517,622	71.32	10,502,490	68.71		4.5
1970 :	230,384,236	161,517,242	70.11	9,095,377	66.97		3.9
1971 :	217,407,613	168,209,071	77.37	6,401,362	75.50		2.9
1972 :	200,576,537	165,009,595	82.27	8,933,273	81.71		4.5
1973 :							
1974 :							
1975 :							

	TYPE 11(b) - MIDDLE BELT				Resales		
	Gross				Resales		
	Sales	Value	Average	Price	Resales	Price	
	Pounds	Dollars	Pounds	Dollars	Pounds	Dollars	
1947 :	175,533,350	74,064,264	42.19	13,530,367	36.69		7.7
1948 :	157,065,491	78,643,016	50.07	16,436,354	42.19		10.5
1949 :	136,979,227	65,333,242	47.70	14,461,506	41.24		10.6
1950 :	170,509,085	95,751,748	56.16	12,867,549	51.58		7.5
1951 :	186,419,891	100,277,262	53.79	15,638,746	48.58		8.4
1952 :	177,122,048	87,456,016	49.38	18,452,209	45.02		10.4
1953 :	138,038,186	64,820,822	46.96	15,305,302	45.18		11.1
1954 :	160,602,820	84,002,214	52.30	18,065,216	47.89		11.2
1955 :	170,439,811	89,225,940	52.35	12,526,057	44.69		7.3
1956 :	179,393,316	93,085,361	51.89	12,619,988	45.93		7.0
1957 :	124,454,594	66,062,909	53.08	13,242,034	49.17		10.6
1958 :	137,218,210	78,379,220	57.12	12,922,034	49.97		9.4
1959 :	136,216,950	76,945,514	56.49	13,317,150	50.16		9.8
1960 :	170,149,856	103,693,982	60.94	15,734,904	54.43		9.2
1961 :	162,289,460	104,629,723	64.47	15,992,002	58.44		9.9
1962 :	184,894,828	111,710,209	60.42	12,996,378	54.85		7.0
1963 :	177,729,278	101,355,716	57.03	12,391,924	50.87		7.0
1964 :	189,384,496	111,140,562	58.69	11,805,986	52.14		6.2
1965 :	116,961,401	73,739,905	63.05	8,934,860	59.27		7.6
1966 :	154,572,110	99,053,641	64.08	11,177,136	61.18		7.2
1967 :	152,004,784	95,316,543	62.71	6,676,783	60.51		4.4
1968 :	110,488,566	70,767,801	64.05	3,884,909	60.53		3.5
1969 :	116,400,280	83,071,050	71.37	4,753,167	67.82		4.1
1970 :	129,987,987	90,957,451	69.97	4,522,562	67.29		3.5
1971 :	116,873,385	90,219,451	77.19	3,637,617	74.60		3.1
1972 :	109,054,033	92,513,645	84.83	4,090,836	81.57		3.8
1973 :							
1974 :							
1975 :							

See footnote at end of table.

Continued -

Table 9.- GROSS sales, value, and average price; and resales, average price, and percentage of gross sales, by types, for flue-cured tobacco, crops of 1947 to 1972.

TYPE 12 - EASTERN NORTH CAROLINA							
Crop 1/	Gross			Resales			
	Sales	Value	Average Price	Resales	Average Price	Percentage of gross sales	
	Pounds	Dollars	Dollars	Pounds	Dollars	Percent	
1947 :	483,531,059	207,987,053	43.01	33,768,568	36.80	7.0	
1948 :	391,972,306	193,413,739	49.34	37,485,441	42.88	9.6	
1949 :	406,029,941	197,919,646	48.75	42,615,749	44.23	10.5	
1950 :	448,247,035	253,115,104	56.47	43,190,799	52.46	9.6	
1951 :	527,113,871	290,363,930	55.09	40,307,350	48.90	7.6	
1952 :	488,279,654	246,722,026	50.53	46,008,644	46.20	9.4	
1953 :	479,821,151	273,996,825	57.10	47,437,963	51.32	9.9	
1954 :	521,915,902	285,452,294	54.69	50,554,146	49.22	9.7	
1955 :	527,722,133	276,102,034	52.32	30,059,633	42.19	5.7	
1956 :	508,200,583	261,548,000	51.47	30,384,153	45.73	6.0	
1957 :	353,479,016	191,975,451	54.31	36,119,895	50.11	10.2	
1958 :	401,362,345	229,333,145	57.14	30,589,643	50.21	7.6	
1959 :	358,766,240	207,776,111	57.91	30,387,932	49.49	8.5	
1960 :	443,849,883	269,234,668	60.66	33,869,426	53.61	7.6	
1961 :	414,387,518	269,117,638	64.94	28,331,813	57.84	6.8	
1962 :	426,197,628	253,383,812	59.45	26,068,566	52.43	6.1	
1963 :	447,810,344	260,597,473	58.19	25,928,310	49.82	5.8	
1964 :	439,070,156	247,127,905	56.28	18,976,906	46.96	4.3	
1965 :	313,961,096	197,754,494	62.99	17,936,646	57.80	5.7	
1966 :	348,628,637	238,216,849	68.33	19,892,496	64.05	5.7	
1967 :	359,468,542	232,513,716	64.68	13,148,397	59.91	3.7	
1968 :	294,991,827	199,000,456	67.46	7,982,125	60.22	2.7	
1969 :	320,845,503	232,056,675	72.33	7,702,242	65.86	2.4	
1970 :	367,241,196	266,931,243	72.68	8,999,917	67.04	2.4	
1971 :	322,519,226	253,011,308	78.45	6,157,058	74.01	1.9	
1972 :	323,202,625	281,927,439	87.23	6,761,575	81.84	2.1	
1973 :							
1974 :							
1975 :							
TYPE 13 - SOUTH CAROLINA AND BORDER NORTH CAROLINA							
1947 :	298,581,265	125,221,646	41.94	24,046,465	36.18	8.1	
1948 :	257,549,793	130,025,892	50.49	26,718,785	45.12	10.4	
1949 :	282,813,797	138,220,799	48.87	26,848,127	43.36	9.5	
1950 :	302,378,796	167,578,534	55.42	31,826,462	50.65	10.5	
1951 :	356,948,641	185,264,975	51.90	35,167,913	47.44	9.9	
1952 :	332,754,972	172,646,106	51.88	39,812,148	47.95	12.0	
1953 :	347,993,765	197,372,663	56.72	43,925,701	51.94	12.6	
1954 :	308,559,532	158,165,273	51.26	38,543,647	47.61	12.5	
1955 :	371,194,111	199,189,952	53.66	28,024,843	45.38	7.5	
1956 :	332,599,112	176,773,381	53.15	30,030,827	47.60	9.0	
1957 :	254,431,208	150,322,928	59.08	32,025,544	54.74	12.6	
1958 :	263,055,456	156,715,806	59.58	27,220,035	54.40	10.3	
1959 :	278,502,915	172,716,804	62.02	27,903,645	55.53	10.0	
1960 :	310,723,428	190,734,738	61.38	30,908,314	54.95	9.9	
1961 :	324,548,716	212,215,581	65.39	31,236,599	59.83	9.6	
1962 :	380,565,542	232,006,009	60.96	33,814,823	57.36	8.9	
1963 :	343,634,666	205,886,036	59.91	29,901,587	55.47	8.7	
1964 :	338,191,697	200,024,970	59.15	29,019,597	53.75	8.6	
1965 :	307,093,820	200,416,487	65.26	30,083,579	62.43	9.8	
1966 :	244,515,798	168,269,710	68.82	20,840,255	66.60	8.5	
1967 :	321,858,935	209,247,378	65.01	21,007,854	65.04	6.5	
1968 :	267,797,623	178,792,044	66.76	11,823,961	64.63	4.4	
1969 :	266,398,182	193,417,154	72.60	11,570,580	69.18	4.3	
1970 :	295,199,641	211,647,639	71.70	13,093,825	69.89	4.4	
1971 :	268,269,338	203,142,898	75.72	9,179,937	74.44	3.4	
1972 :	249,189,219	212,636,929	85.33	6,871,760	85.21	2.8	
1973 :							
1974 :							
1975 :							

See footnote at end of table.

Continued -

- 16 -
Table 9.- GROSS sales, value, and average price; and resales, average price, and percentage of gross sales, by types, for flue-cured tobacco, crops of 1947 to 1972.

TYPE 14 - GEORGIA AND FLORIDA							
Crop ^{1/}	Gross			Resales			
	Sales	Value	Average Price	Resales	Average Price	Percentage of gross sales	
	Pounds	Dollars	Dollars	Pounds	Dollars	Percent	
1947 :	171,028,181	64,685,856	37.82	14,837,356	35.28	8.7	
1948 :	134,503,570	63,474,705	47.19	13,813,557	44.67	10.3	
1949 :	155,163,375	62,252,009	40.12	11,792,973	35.70	7.6	
1950 :	142,424,972	68,532,304	48.12	14,574,992	46.44	10.2	
1951 :	191,870,953	88,912,228	46.34	16,010,373	45.06	8.3	
1952 :	179,683,451	88,405,343	49.20	16,289,905	47.20	9.1	
1953 :	192,717,668	98,463,218	51.09	19,267,293	47.17	10.0	
1954 :	188,561,428	87,656,143	46.49	23,868,757	44.41	12.7	
1955 :	212,714,448	98,942,702	46.51	18,922,403	41.97	8.9	
1956 :	183,109,035	87,909,371	48.01	15,700,448	42.89	8.6	
1957 :	119,983,642	67,043,116	55.88	12,884,079	52.40	10.7	
1958 :	134,119,790	76,628,553	57.13	12,955,797	53.52	9.7	
1959 :	160,621,191	92,889,822	57.83	12,564,816	51.82	7.8	
1960 :	182,828,147	103,140,976	56.41	16,791,032	51.83	9.2	
1961 :	191,637,024	112,834,017	58.88	15,026,256	54.82	7.8	
1962 :	205,291,095	116,011,975	56.51	14,982,222	54.35	7.3	
1963 :	198,092,819	112,668,937	56.88	16,084,651	51.90	6.3	
1964 :	174,701,252	102,400,740	58.61	16,930,334	55.20	9.7	
1965 :	172,159,315	113,657,538	66.02	17,107,397	64.42	9.9	
1966 :	172,935,416	120,869,024	69.89	17,931,289	68.83	10.4	
1967 :	224,236,445	146,998,659	65.56	17,339,924	65.42	7.7	
1968 :	164,171,955	112,061,970	68.26	10,175,993	66.58	6.2	
1969 :	157,067,017	115,089,395	73.27	10,351,278	71.54	6.6	
1970 :	201,045,076	149,308,182	74.27	10,046,091	72.99	5.0	
1971 :	181,667,143	139,553,076	76.82	7,045,061	75.98	3.9	
1972 :	165,681,843	141,569,824	85.45	5,472,073	85.25	3.3	
1973 :							
1974 :							
1975 :							
TYPES 11-14 - TOTAL FLUE-CURED							
1947 :	1,406,655,411	577,897,856	41.08	102,050,097	36.22	7.3	
1948 :	1,197,325,195	591,555,732	49.41	115,127,208	43.70	9.6	
1949 :	1,224,373,758	574,477,510	46.92	119,269,386	42.10	9.7	
1950 :	1,378,202,416	753,157,352	54.65	127,500,848	50.71	9.3	
1951 :	1,574,527,822	822,323,440	52.23	132,914,806	47.46	8.4	
1952 :	1,505,590,215	753,907,099	50.07	147,954,532	46.42	9.8	
1953 :	1,412,386,845	741,222,787	52.48	143,772,383	49.55	10.2	
1954 :	1,467,843,252	765,043,191	52.12	156,431,988	47.80	10.7	
1955 :	1,592,790,910	830,608,133	52.15	114,269,090	44.48	7.2	
1956 :	1,536,077,230	785,452,448	51.13	114,462,464	46.00	7.5	
1957 :	1,087,445,613	598,336,688	55.02	114,744,302	51.48	10.6	
1958 :	1,185,959,946	684,268,857	57.70	106,056,638	52.21	8.9	
1959 :	1,184,538,850	683,578,822	57.71	107,685,418	51.23	9.1	
1960 :	1,369,751,155	820,242,136	59.88	122,527,793	53.86	8.9	
1961 :	1,364,452,046	869,590,622	63.73	115,520,489	58.21	8.5	
1962 :	1,507,917,968	900,746,051	59.73	107,612,105	55.37	7.1	
1963 :	1,463,390,791	843,979,096	57.67	99,215,726	52.56	6.8	
1964 :	1,475,270,208	857,573,880	58.13	96,378,011	52.53	6.5	
1965 :	1,152,011,564	742,027,781	64.41	93,693,793	61.77	8.1	
1966 :	1,194,279,219	796,932,635	66.73	87,959,151	64.57	7.4	
1967 :	1,317,322,967	844,747,428	64.13	69,840,511	63.29	5.3	
1968 :	1,039,331,984	691,390,402	66.52	43,686,618	63.84	4.2	
1969 :	1,095,583,092	791,151,896	72.21	44,879,757	68.90	4.1	
1970 :	1,223,858,136	880,361,757	71.93	45,757,772	69.12	3.7	
1971 :	1,106,736,705	854,135,804	77.18	32,421,035	74.92	2.9	
1972 :	1,047,704,257	893,657,432	85.30	32,129,517	83.07	3.1	
1973 :							
1974 :							
1975 :							

1/ Data for years prior to 1947 may be found in the 1965 and earlier issues of the Market Review.

Table 10.- Producers' sales, resales, gross sales, value, and average price, by TYPES, for flue-cured tobacco, 1972 and 1971 crops.

Type and Form of Sales	1 9 7 2 C R O P			1 9 7 1 C R O P		
	SALES (Pounds)	VALUE (Dollars)	AVERAGE PRICE (Dollars)	SALES (Pounds)	VALUE (Dollars)	AVERAGE PRICE (Dollars)
11(a) Producers' Resales Gross	191,643,264	157,710,357	82.29	211,006,251	163,376,182	77.43
	8,933,273	7,299,238	81.71	6,401,362	4,832,889	75.50
	200,576,537	165,009,595	82.27	217,407,613	168,209,071	77.37
11(b) Producers' Resales Gross	104,963,197	89,176,792	84.96	113,235,768	87,505,872	77.28
	4,090,836	3,336,853	81.57	3,637,617	2,713,579	74.60
	109,054,033	92,513,645	84.83	116,873,385	90,219,451	77.19
11(a) and 11(b) Producers' Resales Gross	296,606,461	246,887,149	83.24	324,242,019	250,882,054	77.37
	13,024,109	10,636,091	81.66	10,038,979	7,546,468	75.17
	309,630,570	257,523,240	83.17	334,280,998	258,428,522	77.31
12 Producers' Resales Gross	316,441,050	276,394,101	87.34	316,362,168	248,454,294	78.53
	6,761,575	5,533,338	81.84	6,157,058	4,557,014	74.01
	323,202,625	281,927,439	87.23	322,519,226	253,011,308	78.45
13 Producers' Resales Gross	242,317,459	206,781,771	85.34	259,089,401	196,309,798	75.77
	6,871,760	5,855,158	85.21	9,179,937	6,833,100	74.44
	249,189,219	212,636,929	85.33	268,269,338	203,142,898	75.72
14 Producers' Resales Gross	160,209,770	136,904,729	85.45	174,622,082	134,200,109	76.85
	5,472,073	4,665,095	85.25	7,045,061	5,352,967	75.98
	165,681,843	141,569,824	85.45	181,667,143	139,553,076	76.82
11-14 Producers' 1/ Resales Gross	1,015,574,740	866,967,750	85.37	1,074,315,670	829,846,255	77.24
	32,129,517	26,689,682	83.07	32,421,035	24,289,549	74.92
	1,047,704,257	893,657,432	85.30	1,106,736,705	854,135,804	77.18

Table 11.- Producers' sales, resales, gross sales, value, and average price by STATES, for flue-cured tobacco, 1972 and 1971 crops.

State and Form of Sales	1 9 7 2 C R O P			1 9 7 1 C R O P		
	SALES (Pounds)	VALUE (Dollars)	AVERAGE PRICE (Dollars)	SALES (Pounds)	VALUE (Dollars)	AVERAGE PRICE (Dollars)
Florida: Producers' Resales Gross	24,430,474	20,884,844	85.49	26,438,571	20,343,334	76.95
	687,919	586,791	85.30	1,136,177	874,275	76.95
	25,118,393	21,471,635	85.48	27,574,748	21,217,609	76.95
Georgia: Producers' Resales Gross	135,779,296	116,019,885	85.45	148,183,511	113,856,775	76.83
	4,784,154	4,078,304	85.25	5,908,884	4,478,692	75.80
	140,563,450	120,098,189	85.44	154,092,395	118,335,467	76.80
North Carolina: Producers' Resales Gross	621,494,537	533,407,488	85.83	647,979,696	503,115,676	77.64
	19,619,285	16,190,735	82.52	17,913,626	13,381,639	74.70
	641,113,822	549,598,223	85.73	665,893,322	516,497,315	77.56
South Carolina: Producers' Resales Gross	134,607,276	114,814,830	85.30	140,288,541	106,259,037	75.74
	3,637,600	3,098,552	85.18	5,017,452	3,751,203	74.76
	138,244,876	117,913,382	85.29	145,305,993	110,010,240	75.71
Virginia: Producers' Resales Gross	99,263,157	81,840,703	82.45	111,425,351	86,271,433	77.43
	3,400,559	2,735,300	80.44	2,444,896	1,803,740	73.78
	102,663,716	84,576,003	82.38	113,870,247	88,075,173	77.35
Total All States: Producers' 1/ Resales Gross	1,015,574,740	866,967,750	85.37	1,074,315,670	829,846,255	77.24
	32,129,517	26,689,682	83.07	32,421,035	24,289,549	74.92
	1,047,704,257	893,657,432	85.30	1,106,736,705	854,135,804	77.18

1/ ASCS quota records show producers' sales of 1,021,810,782 pounds or 6.2 million pounds more than auction sales for the 1972 crop.

Table 12.- PRODUCERS' sales, value, and average price, BY MARKETS, for flue-cured tobacco, 1972 and 1971 crops.

MARKET AND STATE	TYPE 11(a) - OLD BELT FLUE-CURED			1971 CROP			
	1972 CROP	SALES	VALUE	AVERAGE PRICE	SALES	VALUE	AVERAGE PRICE
Virginia:	(Pounds)	(Dollars)	(Dollars)		(Pounds)	(Dollars)	(Dollars)
Brookneal	6,411,355	5,215,068	81.34		7,705,739	5,972,079	77.50
Chase City	5,854,416	4,808,749	82.14		6,462,686	4,872,543	75.40
Clarksville	6,229,482	5,186,382	83.26		7,128,820	5,483,806	76.92
Danville	34,704,740	28,709,202	82.72		38,667,343	30,385,841	78.58
Kenbridge	5,220,245	4,286,910	82.12		6,902,844	5,205,432	75.41
Lawrenceville	7,240,151	6,133,653	84.72		6,627,397	5,088,151	76.77
Martinsville	6,172,197	4,981,178	80.70		7,964,026	6,181,915	77.62
Petersburg	5,082,782	4,174,848	82.14		5,866,871	4,461,269	76.04
South Boston	16,158,843	13,147,250	81.36		16,936,264	13,165,482	77.74
South Hill	6,188,946	5,197,463	83.98		7,163,361	5,454,915	76.15
Total	99,263,157	81,840,703	82.45		111,425,351	86,271,433	77.43
North Carolina:							
Burlington	6,416,997	5,333,389	83.11		7,377,824	5,643,906	76.50
Greensboro	5,526,258	4,519,937	81.79		7,042,356	5,389,265	76.53
Madison	6,034,129	4,954,124	82.10		7,388,360	5,775,361	78.17
Mebane	4,789,822	4,029,979	84.14		6,463,760	4,952,318	76.62
Mt. Airy	7,279,426	5,943,187	81.64		7,722,502	5,962,714	77.21
Reidsville	8,285,524	6,878,396	83.02		8,603,944	6,688,938	77.74
Roxboro	7,267,680	6,050,912	83.26		8,261,400	6,366,640	77.06
Stoneville	7,525,112	6,269,572	83.32		7,561,135	5,873,547	77.68
Winston-Salem	34,158,646	27,827,972	81.47		33,773,101	26,502,517	78.47
Yadkinville	5,096,513	4,062,186	79.71		5,386,518	3,949,543	73.32
Total	92,380,107	75,869,654	82.13		99,580,900	77,104,749	77.43
Total Type 11(a)	191,643,264	157,710,357	82.29		211,006,251	163,376,182	77.43
TYPE 11(b) - MIDDLE BELT FLUE-CURED							
North Carolina:							
Aberdeen	5,522,608	4,676,832	84.69		6,937,468	5,269,753	75.96
Carthage	5,910,921	5,012,835	84.81		6,943,893	5,337,613	76.87
Durham	21,180,939	18,021,036	85.08		22,494,831	17,474,140	77.68
Ellerbe	3,948,250	3,336,449	84.50		5,191,003	3,857,541	74.31
Fuquay-Varina	17,022,124	14,607,427	85.81		16,441,304	12,957,157	78.81
Henderson	14,236,026	12,134,540	85.24		15,684,330	12,180,819	77.66
Louisburg	7,605,968	6,483,430	85.24		7,787,769	6,087,162	78.16
Oxford	16,206,205	13,538,395	83.54		17,261,908	13,212,195	76.54
Sanford	6,934,285	5,992,186	86.41		7,109,525	5,533,739	77.84
Warrenton	6,395,871	5,373,662	84.02		7,383,737	5,595,753	75.78
Total Type 11(b)	104,963,197	89,176,792	84.96		113,235,768	87,505,872	77.28
TYPE 12 - EASTERN NORTH CAROLINA FLUE-CURED							
North Carolina:							
Ahoskie	9,032,867	7,840,129	86.80		8,974,925	6,973,454	77.70
Clinton	9,201,728	8,107,964	88.11		9,659,692	7,498,523	77.63
Dunn	8,920,269	7,794,316	87.38		9,353,930	7,277,908	77.81
Farmville	20,527,488	17,986,586	87.62		20,126,425	15,942,665	79.21
Goldsboro	10,124,402	8,773,632	86.66		10,025,732	7,926,569	79.06
Greenville	45,988,700	40,353,804	87.75		45,136,834	35,430,831	78.50
Kinston	36,276,563	31,921,030	87.99		36,420,729	28,678,497	78.74
Robersonville	8,356,363	7,299,725	87.36		8,371,982	6,473,662	77.33
Rocky Mount	39,620,336	34,105,902	86.08		39,450,820	30,823,060	78.13
Smithfield	18,751,544	16,338,094	87.13		19,259,452	15,063,872	78.22
Tarboro	8,385,162	7,308,052	87.15		8,777,329	6,821,179	77.71
Wallace	8,932,336	7,836,418	87.73		9,638,736	7,510,402	77.92
Washington	8,515,254	7,535,036	88.49		8,586,542	6,698,704	78.01
Wendell	9,379,803	8,134,744	86.73		9,205,672	7,103,834	77.17
Williamston	9,182,420	8,065,571	87.84		9,639,928	7,596,346	78.80
Wilson	56,733,264	49,522,117	87.29		55,464,923	44,171,656	79.64
Windsor	8,512,551	7,470,981	87.76		8,268,517	6,463,132	78.17
Total Type 12	316,441,050	276,394,101	87.34		316,362,168	248,454,294	78.53

Continued -

Table 12.- PRODUCERS' sales, value, and average price, BY MARKETS, for flue-cured tobacco, 1972 and 1971 crops.

MARKET AND STATE	TYPE 13 - SOUTH CAROLINA AND BORDER NORTH CAROLINA FLUE-CURED					
	1972 CROP	1971 CROP	AVERAGE PRICE			
	SALES (Pounds)	VALUE (Dollars)	SALES (Pounds)	VALUE (Dollars)	AVERAGE PRICE (Dollars)	
South Carolina:						
Conway	7,031,477	6,021,848	85.64	7,634,187	5,804,325	76.03
Darlington	7,030,976	5,868,149	83.46	7,507,164	5,505,591	73.34
Dillon	7,001,923	5,937,165	84.79	7,616,106	5,679,221	74.57
Hemingway	6,947,627	5,940,728	85.51	7,552,137	5,861,013	77.61
Kingstree	6,863,337	5,889,438	85.81	7,007,122	5,415,171	77.28
Lake City	31,511,667	26,990,594	85.65	32,323,377	24,499,434	75.79
Lamar	6,827,883	5,767,476	84.47	7,501,286	5,463,263	72.83
Loris	7,094,988	6,078,197	85.67	7,526,502	5,716,926	75.96
Mullins	31,611,665	26,993,715	85.39	32,214,331	24,700,072	76.67
Pamplico	7,060,999	6,034,534	85.46	7,193,893	5,454,428	75.82
Timmonsville	15,624,734	13,292,986	85.08	16,212,436	12,159,593	75.00
Total	134,607,276	114,814,830	85.30	140,288,541	106,259,037	75.74
North Carolina:						
Chadbourn	6,692,546	5,715,287	85.40	7,426,681	5,631,891	75.83
Clarkton	6,415,384	5,461,481	85.13	6,902,395	5,189,751	75.19
Fair Bluff	6,760,562	5,752,814	85.09	7,066,580	5,356,992	75.81
Fairmont	29,161,319	24,917,570	85.45	31,791,827	24,176,453	76.05
Fayetteville	6,792,370	5,771,458	84.97	7,561,547	5,642,779	74.62
Lumberton	22,953,920	19,593,225	85.36	24,114,338	18,047,501	74.84
Tabor City	6,804,369	5,819,416	85.52	7,594,288	5,816,311	76.59
Whiteville	22,129,713	18,935,690	85.57	26,343,204	20,189,083	76.64
Total	107,710,183	91,966,941	85.38	118,800,860	90,050,761	75.80
Total Type 13	242,317,459	206,781,771	85.34	259,089,401	196,309,798	75.77

TYPE 14 - GEORGIA AND FLORIDA FLUE-CURED						
Georgia:						
Adel	4,004,444	3,470,352	86.66	6,168,711	4,841,877	78.49
Alma	4,193,009	3,621,966	86.38	6,618,985	5,125,491	77.44
Baxley	4,176,423	3,582,107	85.77	4,409,065	3,446,987	78.18
Blackshear	9,314,050	7,988,443	85.77	8,777,654	6,925,574	78.90
Claxton	4,185,825	3,604,587	86.11	6,457,816	4,902,505	75.92
Douglas	9,532,372	8,213,579	86.17	11,255,597	8,954,655	79.56
Fitzgerald	4,197,412	3,593,877	85.62	6,455,036	4,880,558	75.61
Hahira	4,158,320	3,581,247	86.12	4,423,683	3,346,863	75.66
Hazlehurst	4,937,190	4,225,189	85.58	4,459,141	3,478,099	78.00
Metter	4,189,524	3,575,795	85.35	4,452,224	3,471,730	77.98
Moultrie	8,889,888	7,556,678	85.00	10,989,599	8,465,181	77.03
Nashville	8,919,207	7,706,030	86.40	8,590,659	6,842,538	79.65
Pearson	3,989,506	3,425,053	85.85	3,294,339	2,476,498	75.17
Pelham	3,999,731	3,416,623	85.42	3,963,377	2,959,171	74.66
Quitman	3,912,406	3,333,516	85.20	5,040,650	3,743,509	74.27
Statesboro	9,233,237	7,728,910	83.71	10,872,221	8,014,181	73.71
Swainsboro	4,725,635	3,981,875	84.26	4,192,002	3,072,220	73.29
Sylvester	3,787,016	3,215,058	84.90	3,729,981	2,713,800	72.76
Thomasville	4,749,803	4,024,411	84.73	4,058,452	2,985,409	73.56
Tifton	8,949,399	7,647,962	85.46	8,662,102	6,697,353	77.32
Valdosta	8,180,965	7,019,733	85.81	8,109,793	6,279,940	77.44
Vidalia	9,383,339	7,908,590	84.28	8,755,646	6,692,140	76.43
Waycross	4,170,595	3,598,304	86.28	4,446,778	3,540,496	79.62
Total	135,779,296	116,019,885	85.45	148,183,511	113,856,775	76.83
Florida:						
High Springs	3,880,034	3,320,334	85.57	4,215,892	3,222,519	76.44
Jasper	4,072,180	3,507,659	86.14	4,346,109	3,450,232	79.39
Lake City	3,843,113	3,312,700	86.20	4,402,151	3,418,542	77.66
Live Oak	9,076,139	7,694,780	84.78	9,520,937	7,291,504	76.58
Madison	3,559,008	3,049,371	85.68	3,953,482	2,960,537	74.88
Total	24,430,474	20,884,844	85.49	26,438,571	20,343,334	76.94
Total Type 14	160,209,770	136,904,729	85.45	174,622,082	134,200,109	76.85
Total Types 11-14*	1,015,574,740	866,967,750	85.37	1,074,315,670	829,846,255	77.24

* ASCS quota records show producers' sales of 1,021,810,782 pounds or 6.2 million pounds more than auction sales for the 1972 crop.

Table 13.- Rank of flue-cured markets, according to volume of producers' sales, by separate types, and by all types, 1972 marketing season. 1/

Type, Market, and State	Sales	Rank By:		Type, Market, and State	Sales	Rank By:	
		Separate Types	All Types			Separate Types	All Types
<u>Mil. lbs.</u>				<u>Mil. lbs.</u>			
TYPE 11(a)				TYPE 13			
Danville, Va.	34.7	1	5	Mullins, S. C.	31.6	1	7
Winston-Salem, N. C.	34.2	2	6	Lake City, S. C.	31.5	2	8
South Boston, Va.	16.2	3	17	Fairmont, N. C.	29.2	3	9
Reidsville, N. C.	8.3	4	39	Lumberton, N. C.	23.0	4	10
Stoneville, N. C.	7.5	5	42	Whiteville, N. C.	22.1	5	11
Mt. Airy, N. C.	7.3	6	43	Timmonsboro, S. C.	15.6	6	18
Roxboro, N. C.	7.3	7	44	Loris, S. C.	7.1	7	46
Lawrenceville, Va.	7.2	8	45	Pamplico, S. C.	7.1	8	47
Burlington, N. C.	6.4	9	59	Conway, S. C.	7.0	9	48
Brookneal, Va.	6.4	10	61	Darlington, S. C.	7.0	10	49
Clarksville, Va.	6.2	11	63	Dillon, S. C.	7.0	11	50
South Hill, Va.	6.2	12	64	Hemingway, S. C.	6.9	12	51
Martinsville, Va.	6.2	13	65	Kingstree, S. C.	6.9	13	53
Madison, N. C.	6.0	14	66	Lamar, S. C.	6.8	14	54
Chase City, Va.	5.9	15	68	Tabor City, N. C.	6.8	15	55
Greensboro, N. C.	5.5	16	69	Fayetteville, N. C.	6.8	16	56
Kenbridge, Va.	5.2	17	71	Fair Bluff, N. C.	6.8	17	57
Yadkinville, N. C.	5.1	18	72	Chadbourn, N. C.	6.7	18	58
Petersburg, Va.	5.1	19	73	Clarkton, N. C.	6.4	19	60
Mebane, N. C.	4.8	20	75				
TYPE 11(b)				TYPE 14			
Durham, N. C.	21.2	1	12	Douglas, Ga.	9.5	1	21
Fuquay-Varina, N. C.	17.0	2	15	Vidalia, Ga.	9.4	2	22
Oxford, N. C.	16.2	3	16	Blackshear, Ga.	9.3	3	24
Henderson, N. C.	14.2	4	19	Statesboro, Ga.	9.2	4	25
Louisburg, N. C.	7.6	5	41	Live Oak, Fla.	9.1	5	28
Sanford, N. C.	6.9	6	52	Tifton, Ga.	8.9	6	30
Warrenton, N. C.	6.4	7	62	Nashville, Ga.	8.9	7	33
Carthage, N. C.	5.9	8	67	Moultrie, Ga.	8.9	8	34
Aberdeen, N. C.	5.5	9	70	Valdosta, Ga.	8.2	9	40
Ellerbe, N. C.	3.9	10	89	Hazlehurst, Ga.	4.9	10	74
TYPE 12				Thomasville, Ga.	4.8	11	76
Wilson, N. C.	56.7	1	1	Swainsboro, Ga.	4.7	12	77
Greenville, N. C.	46.0	2	2	Fitzgerald, Ga.	4.2	13	78
Rocky Mount, N. C.	39.6	3	3	Alma, Ga.	4.2	14	79
Kinston, N. C.	36.3	4	4	Metter, Ga.	4.2	15	80
Farmville, N. C.	20.5	5	13	Claxton, Ga.	4.2	16	81
Smithfield, N. C.	18.8	6	14	Baxley, Ga.	4.2	17	82
Goldsboro, N. C.	10.1	7	20	Waycross, Ga.	4.2	18	83
Wendell, N. C.	9.4	8	23	Hahira, Ga.	4.2	19	84
Clinton, N. C.	9.2	9	26	Jasper, Fla.	4.1	20	85
Williamston, N. C.	9.2	10	27	Adel, Ga.	4.0	21	86
Ahoskie, N. C.	9.0	11	29	Pelham, Ga.	4.0	22	87
Wallace, N. C.	8.9	12	31	Pearson, Ga.	4.0	23	88
Dunn, N. C.	8.9	13	32	Quitman, Ga.	3.9	24	90
Washington, N. C.	8.5	14	35	High Springs, Fla.	3.9	25	91
Windsor, N. C.	8.5	15	36	Lake City, Fla.	3.8	26	92
Tarboro, N. C.	8.4	16	37	Sylvester, Ga.	3.8	27	93
Robersonville, N. C.	8.4	17	38	Madison, Fla.	3.6	28	94

1/ In instances where producers' sales of two or more markets when rounded to million pounds were identical, rank was determined from sales on an exact poundage basis.

Table 14.- PRODUCERS' sales, value, and average price, BY MONTHS, for flue-cured tobacco, 1972 and 1971 crops.

MONTH, STATE, AND TYPE	1 9 7 2 C R O P			1 9 7 1 C R O P			
	SALES		VALUE	AVERAGE PRICE	SALES		AVERAGE PRICE
	(Pounds)	(Dollars)	(Dollars)	(Dollars)	(Pounds)	(Dollars)	(Dollars)
July:							
Florida 14	4,816,598	3,913,531	81.25	---	---	---	--
Georgia 14	26,260,036	21,708,420	82.67	---	---	---	--
South Carolina 13	15,125,198	12,393,118	81.94	---	---	---	--
North Carolina 13	16,863,428	13,896,617	82.41	---	---	---	--
Total July	63,065,260	51,911,686	82.31	---	---	---	--
August:							
Florida 14	19,613,876 1/	16,971,313	86.53	25,430,901	19,624,328	77.17	
Georgia 14	104,416,987 1/	90,050,417	86.24	136,299,811 2/	105,368,086	77.31	
South Carolina 13	97,223,370 1/	83,302,493	85.68	93,445,916 2/	71,112,342	76.10	
North Carolina 13	70,300,043	60,371,716	85.88	76,315,418	57,939,678	75.92	
North Carolina 12	84,878,983	74,268,796	87.50	20,288,459	15,636,025	77.07	
North Carolina 11b	6,770,754	5,873,226	86.74	---	---	--	
North Carolina 11a	4,998,784	4,328,845	86.60	---	---	--	
Virginia 11a	6,743,592	5,840,999	86.62	---	---	--	
Total August	394,946,389	341,007,805	86.34	351,780,505	269,680,459	76.66	
September:							
Florida 14	--	--	--	1,007,670	719,006	71.35	
Georgia 14	5,102,273	4,261,048	83.51	11,883,700 2/	8,488,689	71.43	
South Carolina 13	22,258,708	19,119,219	85.90	46,842,625 2/	35,146,695	75.03	
North Carolina 13	20,546,712	17,698,608	86.14	41,255,986	31,177,755	75.57	
North Carolina 12	124,482,811	110,968,761	89.14	163,323,999	128,913,708	78.93	
North Carolina 11b	46,050,830	40,181,356	87.25	43,651,126	33,970,438	77.82	
North Carolina 11a	38,890,434	33,387,602	85.85	25,324,272	19,720,727	77.87	
Virginia 11a	42,377,646	36,226,777	85.49	27,383,132	21,479,218	78.44	
Total September	299,709,414	261,843,371	87.37	360,672,510	279,616,236	77.53	
October:							
North Carolina 13	--	--	--	1,229,456	933,328	75.91	
North Carolina 12	104,062,731	88,811,182	85.34	123,742,046	97,047,576	78.43	
North Carolina 11b	50,492,946	41,909,017	83.00	61,278,903	47,299,713	77.19	
North Carolina 11a	43,701,555	34,731,207	79.47	55,982,285	43,490,464	77.69	
Virginia 11a	45,692,398	36,567,931	80.03	61,936,439	48,011,665	77.52	
Total October	243,949,630	202,019,337	82.81	304,169,129	236,782,746	77.85	
November:							
North Carolina 12	3,016,525	2,345,362	77.75	9,007,664	6,856,985	76.12	
North Carolina 11b	1,648,667	1,213,193	73.59	8,305,739	6,235,721	75.08	
North Carolina 11a	4,789,334	3,422,000	71.45	18,274,343	13,893,558	76.03	
Virginia 11a	4,449,521	3,204,996	72.03	22,105,780	16,780,550	75.91	
Total November	13,904,047	10,185,551	73.26	57,693,526	43,766,814	75.86	
Total All Months:							
Florida 14	24,430,474	20,884,844	85.49	26,438,571	20,343,334	76.95	
Georgia 14	135,779,296	116,019,885	85.45	148,183,511	113,856,775	76.83	
South Carolina 13	134,607,276	114,814,830	85.30	140,288,541	106,259,037	75.74	
North Carolina 13	107,710,183	91,966,941	85.38	118,800,860	90,050,761	75.80	
North Carolina 12	316,441,050	276,394,101	87.34	316,362,168	248,454,294	78.53	
North Carolina 11b	104,963,197	89,176,792	84.96	113,235,768	87,505,872	77.28	
North Carolina 11a	92,380,107	75,869,654	82.13	99,580,900	77,104,749	77.43	
Virginia 11a	99,263,157	81,840,703	82.45	111,425,351	86,271,433	77.43	
Total Flue-cured 3/	1,015,574,740	866,967,750	85.37	1,074,315,670	829,846,255	77.24	

1/ Includes July 31 sales.

2/ Estimated.

3/ ASCS quota records show producers' sales of 1,021,810,782 pounds or 6.2 million pounds more than auction sales for the 1972 crop.

Table 15.- GROSS sales, value, and average price, BY MARKETS, for flue-cured tobacco, 1972 and 1971 crops.

MARKET AND STATE	TYPE 11(a) - OLD BELT FLUE-CURED			TYPE 11(b) - MIDDLE BELT FLUE-CURED		
	1972 CROP			1971 CROP		
	SALES (Pounds)	VALUE (Dollars)	AVERAGE PRICE (Dollars)	SALES (Pounds)	VALUE (Dollars)	AVERAGE PRICE (Dollars)
Virginia:						
Brookneal	6,546,725	5,325,677	81.35	7,814,357	6,052,313	77.45
Chase City	6,160,684	5,051,825	82.00	6,564,605	4,943,598	75.31
Clarksville	6,359,610	5,292,500	83.22	7,228,787	5,556,138	76.86
Danville	35,766,552	29,563,119	82.66	39,596,863	31,072,339	78.47
Kenbridge	5,351,673	4,383,265	81.90	6,975,969	5,252,530	75.29
Lawrenceville	7,461,687	6,318,846	84.68	6,826,443	5,238,445	76.74
Martinsville	6,378,686	5,153,277	80.79	8,259,090	6,411,491	77.63
Petersburg	5,495,722	4,515,259	82.16	6,060,815	4,604,268	75.97
South Boston	16,806,589	13,657,015	81.26	17,341,362	13,462,403	77.63
South Hill	6,335,788	5,315,220	83.89	7,201,956	5,481,648	76.11
Total	102,663,716	84,576,003	82.38	113,870,247	88,075,173	77.35
North Carolina:						
Burlington	6,624,417	5,498,450	83.00	7,449,412	5,696,412	76.47
Greensboro	5,825,392	4,754,131	81.61	7,284,250	5,568,589	76.45
Madison	6,622,715	5,448,014	82.26	7,735,291	6,046,959	78.17
Mebane	5,030,820	4,225,369	83.99	6,631,022	5,073,908	76.52
Mt. Airy	7,518,255	6,141,979	81.69	7,986,328	6,156,188	77.08
Reidsville	8,517,736	7,065,132	82.95	8,758,248	6,805,951	77.71
Roxboro	7,464,910	6,206,216	83.14	8,402,516	6,464,200	76.93
Stoneville	7,749,172	6,455,110	83.30	7,713,131	5,989,527	77.65
Winston-Salem	36,772,042	29,952,470	81.45	35,852,496	28,127,837	78.45
Yadkinville	5,787,362	4,686,721	80.98	5,724,672	4,204,327	73.44
Total	97,912,821	80,433,592	82.15	103,537,366	80,133,898	77.40
Total Type 11(a)	200,576,537	165,009,595	82.27	217,407,613	168,209,071	77.37
TYPE 12 - EASTERN NORTH CAROLINA FLUE-CURED						
North Carolina:						
Ahoskie	9,275,286	8,051,245	86.80	9,172,983	7,124,428	77.67
Clinton	9,369,608	8,244,623	87.99	9,724,046	7,544,748	77.59
Dunn	9,110,183	7,953,023	87.30	9,506,198	7,392,925	77.77
Farmville	20,825,504	18,231,856	87.55	20,512,122	16,235,465	79.15
Goldsboro	10,280,108	8,894,494	86.52	10,141,240	8,013,283	79.02
Greenville	46,870,956	41,098,971	87.69	46,204,675	36,221,252	78.39
Kinston	37,021,188	32,529,436	87.87	36,936,487	29,065,659	78.69
Robersonville	8,671,745	7,568,471	87.28	8,938,477	6,895,341	77.14
Rocky Mount	40,170,646	34,550,882	86.01	40,095,487	31,302,109	78.07
Smithfield	19,538,628	16,971,998	86.86	19,717,526	15,415,167	78.18
Tarboro	8,671,825	7,542,804	86.98	9,042,006	7,014,310	77.57
Wallace	8,984,271	7,879,889	87.71	9,699,766	7,556,045	77.90
Washington	8,689,363	7,679,271	88.38	8,697,109	6,780,002	77.96
Wendell	9,422,593	8,169,182	86.70	9,314,678	7,181,792	77.10
Williamston	9,302,340	8,164,174	87.76	9,799,312	7,714,016	78.72
Wilson	58,314,472	50,779,111	87.08	56,545,059	44,936,896	79.47
Windsor	8,683,909	7,618,009	87.73	8,472,055	6,617,870	78.11
Total Type 12	323,202,625	281,927,439	87.23	322,519,226	253,011,308	78.45

Continued -

Table 15.- GROSS sales, value, and average price, BY MARKETS, for flue-cured tobacco, 1972 and 1971 crops.

TYPE 13 - SOUTH CAROLINA AND BORDER NORTH CAROLINA FLUE-CURED						
MARKET AND STATE	1 9 7 2 C R O P			1 9 7 1 C R O P		
	SALES (Pounds)	VALUE (Dollars)	AVERAGE PRICE (Dollars)	SALES (Pounds)	VALUE (Dollars)	AVERAGE PRICE (Dollars)
South Carolina:						
Conway	7,143,279	6,115,699	85.61	7,773,933	5,905,540	75.97
Darlington	7,114,020	5,936,710	83.45	7,828,912	5,735,852	73.26
Dillon	7,117,259	6,032,202	84.75	7,761,666	5,780,465	74.47
Hemingway	7,091,094	6,062,353	85.49	7,792,961	6,042,660	77.54
Kingstree	7,169,933	6,153,905	85.83	7,348,754	5,678,374	77.27
Lake City	32,303,659	27,663,234	85.63	33,389,403	25,290,789	75.74
Lamar	7,051,925	5,956,881	84.47	7,767,503	5,651,893	72.76
Loris	7,280,450	6,234,273	85.63	7,864,913	5,967,443	75.87
Mullins	32,639,816	27,875,689	85.40	33,437,615	25,639,301	76.68
Pamplico	7,101,101	6,069,168	85.47	7,257,089	5,502,254	75.82
Timmonsville	16,232,340	13,813,268	85.10	17,083,244	12,815,669	75.02
Total	138,244,876	117,913,382	85.29	145,305,993	110,010,240	75.71
North Carolina:						
Chadbourn	6,866,798	5,864,207	85.40	7,736,449	5,858,961	75.73
Clarkton	6,559,280	5,583,106	85.12	7,198,007	5,407,022	75.12
Fair Bluff	6,863,887	5,842,939	85.13	7,151,968	5,417,826	75.75
Fairmont	30,589,059	26,140,601	85.46	33,455,408	25,424,988	76.00
Fayetteville	6,932,042	5,890,111	84.97	7,756,849	5,785,061	74.58
Lumberton	23,515,048	20,067,626	85.34	24,818,008	18,562,284	74.79
Tabor City	6,995,017	5,980,037	85.49	7,752,164	5,930,841	76.51
Whiteville	22,623,212	19,354,920	85.55	27,094,492	20,745,675	76.57
Total	110,944,343	94,723,547	85.38	122,963,345	93,132,658	75.74
Total Type 13	249,189,219	212,636,929	85.33	268,269,338	203,142,898	75.72
TYPE 14 - GEORGIA AND FLORIDA FLUE-CURED						
Georgia:						
Adel	4,231,688	3,669,782	86.72	6,464,575	5,070,702	78.44
Alma	4,228,550	3,651,954	86.36	6,775,653	5,244,106	77.40
Baxley	4,256,336	3,650,912	85.78	4,534,212	3,543,581	78.15
Blackshear	9,551,023	8,190,877	85.76	9,067,974	7,148,173	78.83
Claxton	4,251,999	3,661,862	86.12	6,697,496	5,079,700	75.84
Douglas	9,727,952	8,382,841	86.17	11,623,153	9,244,795	79.54
Fitzgerald	4,229,109	3,621,152	85.62	6,604,854	4,996,903	75.66
Hahira	4,228,528	3,641,143	86.11	4,565,339	3,451,081	75.59
Hazlehurst	5,024,738	4,299,903	85.57	4,580,913	3,571,666	77.97
Metter	4,229,466	3,610,091	85.36	4,533,600	3,534,844	77.97
Moultrie	9,835,379	8,368,583	85.09	11,635,672	8,955,813	76.97
Nashville	9,280,973	8,019,567	86.41	9,151,303	7,286,522	79.62
Pearson	4,194,984	3,598,399	85.78	3,381,290	2,540,483	75.13
Pelham	4,195,409	3,582,890	85.40	4,205,901	3,135,903	74.56
Quitman	4,082,892	3,476,724	85.15	5,257,014	3,900,054	74.19
Statesboro	9,731,404	8,145,578	83.70	11,272,591	8,305,280	73.68
Swainsboro	4,937,893	4,160,047	84.25	4,427,768	3,245,016	73.29
Sylvester	3,909,930	3,315,689	84.80	3,847,129	2,795,053	72.65
Thomasville	4,918,021	4,168,339	84.76	4,296,903	3,165,857	73.68
Tifton	9,248,773	7,904,460	85.46	9,126,002	7,050,749	77.26
Valdosta	8,253,667	7,080,882	85.79	8,331,496	6,446,264	77.37
Vidalia	9,783,905	8,245,823	84.28	9,076,206	6,930,516	76.36
Waycross	4,230,831	3,650,691	86.29	4,635,351	3,692,406	79.66
Total	140,563,450	120,098,189	85.44	154,092,395	118,335,467	76.80
Florida:						
High Springs	4,048,298	3,465,752	85.61	4,338,774	3,314,497	76.39
Jasper	4,147,580	3,570,679	86.09	4,460,260	3,538,052	79.32
Lake City	3,924,856	3,381,757	86.16	4,503,018	3,497,365	77.67
Live Oak	9,330,887	7,911,501	84.79	10,143,242	7,776,092	76.66
Madison	3,666,772	3,141,946	85.69	4,129,454	3,091,603	74.87
Total	25,118,393	21,471,635	85.48	27,574,748	21,217,609	76.95
Total Type 14	165,681,843	141,569,824	85.45	181,667,143	139,553,076	76.82
Total Types 11-14	1,047,704,257	893,657,432	85.30	1,106,736,705	854,135,804	77.18

Table 16.- RESALES, average price, and percentage of gross sales, BY MARKETS, for flue-cured tobacco, 1972 and 1971 crops.

TYPE 11(a) - OLD BELT FLUE-CURED

MARKET AND STATE	1 9 7 2 C R O P			1 9 7 1 C R O P		
	Resales (Pounds)	Average Price (Dollars)	Percentage of Gross Sales (Percent)	Resales (Pounds)	Average Price (Dollars)	Percentage of Gross Sales (Percent)
Virginia:						
Brookneal	135,370	81.71	2.1	108,618	73.87	1.4
Chase City	306,268	79.37	5.0	101,919	69.72	1.5
Clarksville	130,128	81.55	2.0	99,967	72.36	1.4
Danville	1,061,812	80.42	3.0	929,520	73.85	2.3
Kenbridge	131,428	73.31	2.5	73,125	64.41	1.0
Lawrenceville	221,536	83.59	3.0	199,046	75.51	2.9
Martinsville	206,489	83.35	3.2	295,064	77.81	3.6
Petersburg	412,940	82.44	7.5	193,944	73.73	3.2
South Boston	647,746	78.70	3.9	405,098	73.30	2.3
South Hill	146,842	80.19	2.3	38,595	69.27	.5
Total	3,400,559	80.44	3.3	2,444,896	73.78	2.1
North Carolina:						
Burlington	207,420	79.58	3.1	71,588	73.34	1.0
Greensboro	299,134	78.29	5.1	241,894	74.13	3.3
Madison	588,586	83.91	8.9	346,931	78.28	4.5
Mebane	240,998	81.08	4.8	167,262	72.69	2.5
Mt. Airy	238,829	83.24	3.2	263,826	73.33	3.3
Reidsville	232,212	80.42	2.7	154,304	75.83	1.8
Roxboro	197,230	78.74	2.6	141,116	69.13	1.7
Stoneville	224,060	82.81	2.9	151,996	76.30	2.0
Winston-Salem	2,613,396	81.29	7.1	2,079,395	78.16	5.8
Yadkinville	690,849	90.40	11.9	338,154	75.34	5.9
Total	5,532,714	82.49	5.7	3,956,466	76.56	3.8
Total Type 11(a)	8,933,273	81.71	4.5	6,401,362	75.50	2.9

TYPE 11(b) - MIDDLE BELT FLUE-CURED

North Carolina:						
Aberdeen	264,910	80.01	4.6	234,621	73.68	3.3
Carthage	160,642	83.70	2.6	121,978	75.28	1.7
Durham	1,284,778	83.45	5.7	1,332,783	75.25	5.6
Ellerbe	377,944	80.51	8.7	305,398	73.92	5.6
Fuquay-Varina	789,478	81.76	4.4	635,922	76.64	3.7
Henderson	299,730	83.58	2.1	192,893	74.27	1.2
Louisburg	150,898	78.03	1.9	243,855	75.89	3.0
Oxford	335,776	76.67	2.0	211,761	68.14	1.2
Sanford	73,424	79.64	1.0	60,470	76.54	.8
Warrenton	353,256	80.47	5.2	297,936	71.82	3.9
Total Type 11(b)	4,090,836	81.57	3.8	3,637,617	74.60	3.1

TYPE 12 - EASTERN NORTH CAROLINA FLUE-CURED

North Carolina:						
Ahoskie	242,419	87.09	2.6	198,058	76.23	2.2
Clinton	167,880	81.40	1.8	64,354	71.83	.7
Dunn	189,914	83.57	2.1	152,268	75.54	1.6
Farmville	298,016	82.30	1.4	385,697	75.91	1.9
Goldsboro	155,706	77.62	1.5	115,508	75.07	1.1
Greenville	882,256	84.46	1.9	1,067,841	74.02	2.3
Kinston	744,625	81.71	2.0	515,758	75.07	1.4
Robersonville	315,382	85.21	3.6	566,495	74.44	6.3
Rocky Mount	550,310	80.86	1.4	644,667	74.31	1.6
Smithfield	787,084	80.54	4.0	458,074	76.69	2.3
Tarboro	286,663	81.89	3.3	264,677	72.97	2.9
Wallace	51,935	83.70	.6	61,030	74.79	.6
Washington	174,109	82.84	2.0	110,567	73.53	1.3
Wendell	42,790	80.48	.5	109,006	71.52	1.2
Williamston	119,920	82.22	1.3	159,384	73.83	1.6
Wilson	1,581,208	79.50	2.7	1,080,136	70.85	1.9
Windsor	171,358	85.80	2.0	203,538	76.02	2.4
Total Type 12	6,761,575	81.84	2.1	6,157,058	74.01	1.9

Continued -

Table 16.- RESALES, average price, and percentage of gross sales, BY MARKETS, for flue-cured tobacco, 1972 and 1971 crops.

TYPE 13 - SOUTH CAROLINA AND BORDER NORTH CAROLINA FLUE-CURED						
MARKET AND STATE	1 9 7 2 C R O P			1 9 7 1 C R O P		
	Resales (Pounds)	Average Price (Dollars)	Percentage of Gross Sales (Percent)	Resales (Pounds)	Average Price (Dollars)	Percentage of Gross Sales (Percent)
South Carolina:						
Conway	111,802	83.94	1.6	139,746	72.43	1.8
Darlington	83,044	82.56	1.2	321,748	71.57	4.1
Dillon	115,336	82.40	1.6	145,560	69.55	1.9
Hemingway	143,467	84.78	2.0	240,824	75.43	3.1
Kingstree	306,596	86.26	4.3	341,632	77.04	4.6
Lake City	791,992	84.93	2.5	1,066,026	74.23	3.2
Lamar	224,042	84.54	3.2	266,217	70.86	3.4
Loris	185,462	84.16	2.5	338,411	74.03	4.3
Mullins	1,028,151	85.78	3.1	1,223,284	76.78	3.7
Pamplico	40,102	86.36	.6	63,196	75.68	.9
Timmonsville	607,606	85.63	3.7	870,808	75.34	5.1
Total	3,637,600	85.18	2.6	5,017,452	74.76	3.5
North Carolina:						
Chadbourn	174,252	85.46	2.5	309,768	73.30	4.0
Clarkton	143,896	84.52	2.2	295,612	73.50	4.1
Fair Bluff	103,325	87.22	1.5	85,388	71.24	1.2
Fairmont	1,427,740	85.66	4.7	1,663,581	75.05	5.0
Fayetteville	139,672	84.95	2.0	195,302	72.85	2.5
Lumberton	561,128	84.54	2.4	703,670	73.16	2.8
Tabor City	190,648	84.25	2.7	157,876	72.54	2.0
Whiteville	493,499	84.95	2.2	751,288	74.08	2.8
Total	3,234,160	85.23	2.9	4,162,485	74.04	3.4
Total Type 13	6,871,760	85.21	2.8	9,179,937	74.44	3.4
TYPE 14 - GEORGIA AND FLORIDA FLUE-CURED						
Georgia:						
Adel	227,244	87.76	5.4	295,864	77.34	4.6
Alma	35,541	84.38	.8	156,668	75.71	2.3
Baxley	79,913	86.10	1.9	125,147	77.18	2.8
Blackshear	236,973	85.42	2.5	290,320	76.67	3.2
Claxton	66,174	86.55	1.6	239,680	73.93	3.6
Douglas	195,580	86.54	2.0	367,556	78.94	3.2
Fitzgerald	31,697	86.05	.7	149,818	77.66	2.3
Hahira	70,208	85.31	1.7	141,656	73.57	3.1
Hazlehurst	87,548	85.34	1.7	121,772	76.84	2.7
Metter	39,942	85.86	.9	81,376	77.56	1.8
Moultrie	945,491	85.87	9.6	646,073	75.94	5.6
Nashville	361,766	86.67	3.9	560,644	79.19	6.1
Pearson	205,478	84.36	4.9	86,951	73.59	2.6
Pelham	195,678	84.97	4.7	242,524	72.87	5.8
Quitman	170,486	84.00	4.2	216,364	72.35	4.1
Statesboro	498,167	83.64	5.1	400,370	72.46	3.6
Swainsboro	212,258	83.94	4.3	235,766	73.29	5.3
Sylvester	122,914	81.87	3.1	117,148	69.36	3.0
Thomasville	168,218	85.56	3.4	238,451	75.68	5.5
Tifton	299,374	85.68	3.2	463,900	76.18	5.1
Valdosta	72,702	84.11	.9	221,703	75.02	2.7
Vidalia	400,566	84.19	4.1	320,560	74.36	3.5
Waycross	60,236	86.97	1.4	188,573	80.55	4.1
Total	4,784,154	85.25	3.4	5,908,884	75.80	3.8
Florida:						
High Springs	168,264	86.42	4.2	122,882	74.85	2.8
Jasper	75,400	83.58	1.8	114,151	76.93	2.6
Lake City	81,743	84.48	2.1	100,867	78.14	2.2
Live Oak	254,748	85.07	2.7	622,305	77.87	6.1
Madison	107,764	85.91	2.9	175,972	74.48	4.3
Total	687,919	85.30	2.7	1,136,177	76.95	4.1
Total Type 14	5,472,073	85.25	3.3	7,045,061	75.98	3.9
Total Types 11-14	32,129,517	83.07	3.1	32,421,035	74.92	2.9

Table 17.- Season average prices per 100 pounds of tobacco by types, in the flue-cured area, and schedule of loan rates, 1972 and 1971 crops. 1/

Group and Grade 2/	1972 CROP						Loan Rate 3/ 11 - 14	Group and Grade 2/		
	Season Averages									
	11(a) Untied	11(b) Untied	12 Untied	13 Untied	14 Untied	11 - 14 Untied				
Wrappers:	Dol.	Dol.	Dol.	Dol.	Dol.	Dol.	Dol.	Wrappers:		
A1F	--	--	--	--	--	(170)	98	A1F		
A2F	--	--	--	--	--	--	96	A2F		
Leaf:								Leaf:		
B1L	(101)	--	96	(91)	--	95	91	B1L		
B2L	95	90	93	87	88	89	86	B2L		
B3L	88	89	90	87	88	88	83	B3L		
B4L	87	89	89	87	88	88	81	B4L		
B5L	86	88	89	86	87	87	78	B5L		
B6L	(78)	(86)	--	(86)	87	85	74	B6L		
B1F	(99)	(103)	94	92	(92)	95	91	B1F		
B2F	93	90	92	87	88	90	86	B2F		
B3F	88	89	90	87	88	88	83	B3F		
B4F	86	89	89	87	88	88	81	B4F		
B5F	84	87	88	86	87	87	78	B5F		
B6F	80	83	87	85	85	85	74	B6F		
B1FR	(96)	--	(95)	--	--	95	90	B1FR		
B2FR	93	--	93	--	--	93	85	B2FR		
B3FR	89	88	91	88	--	90	82	B3FR		
B4FR	86	88	90	86	87	88	79	B4FR		
B5FR	83	87	88	86	87	86	75	B5FR		
B6FR	80	--	(87)	(83)	--	81	71	B6FR		
B3R	--	--	--	--	--	--	70	B3R		
B4R	(76)	(82)	--	(87)	--	81	66	B4R		
B5R	70	77	--	81	--	74	61	B5R		
B6R	68	(71)	74	--	--	71	57	B6R		
B3K	82	86	89	87	87	86	76	B3K		
B4K	80	85	88	86	86	85	73	B4K		
B5K	75	79	86	85	84	81	70	B5K		
B6K	69	74	83	83	81	77	65	B6K		
B3KR	82	87	87	86	87	87	76	B3KR		
B4KR	81	85	86	86	87	86	73	B4KR		
B5KR	77	81	86	83	84	84	70	B5KR		
B3LV	86	88	88	86	87	87	80	B3LV		
B4LV	85	87	88	86	87	86	76	B4LV		
B5LV	83	86	84	85	86	85	73	B5LV		
B3FV	85	87	88	86	87	87	80	B3FV		
B4FV	83	86	87	86	87	86	76	B4FV		
B5FV	80	82	86	85	86	83	73	B5FV		
B3LS	80	88	--	86	86	85	76	B3LS		
B4LS	80	87	88	86	86	85	73	B4LS		
B5LS	(74)	(85)	--	--	--	81	70	B5LS		
B6LS	--	--	--	--	--	--	64	B6LS		
B3FS	77	--	86	86	--	81	73	B3FS		
B4FS	75	85	84	86	--	81	71	B4FS		
B5FS	75	--	--	(86)	--	81	68	B5FS		
B6FS	--	--	--	--	--	--	62	B6FS		
B3KL	77	83	86	84	86	83	68	B3KL		
B4KL	76	83	86	84	86	82	66	B4KL		
B5KL	71	79	85	82	85	80	63	B5KL		
B6KL	65	(70)	--	--	82	74	58	B6KL		
B3KF	75	83	86	84	87	82	67	B3KF		
B4KF	73	81	85	83	86	80	65	B4KF		
B5KF	69	76	83	81	84	76	62	B5KF		
B6KF	64	69	73	78	80	69	57	B6KF		

See footnotes at end of table.

Continued -

Table 17.- Season average prices per 100 pounds of tobacco by types, in the flue-cured area, and schedule of loan rates, 1972 and 1971 crops. 1/

Group and Grade 2/	1972 CROP						Loan Rate 3/ 11-14	Group and Grade 2/		
	Season Averages									
	11(a) Untied	11(b) Untied	12 Untied	13 Untied	14 Untied	11-14 Untied				
	Dol.	Dol.	Dol.	Dol.	Dol.	Dol.	Dol.			
B4KV	76	83	85	84	84	82	67	B4KV		
B5KV	70	75	82	83	83	78	63	B5KV		
B6KV	66	69	76	82	80	72	59	B6KV		
B3KM	81	85	86	85	87	85	71	B3KM		
B4KM	77	83	85	84	86	84	69	B4KM		
B5KM	73	79	83	81	84	81	66	B5KM		
B6KM	68	73	75	77	81	76	61	B6KM		
B5RR	(67)	(81)	--	--	--	74	57	B5RR		
B4GL	80	85	86	84	84	83	70	B4GL		
B5GL	75	82	--	80	84	81	67	B5GL		
B6GL	--	--	--	--	(84)	80	62	B6GL		
B4GF	76	83	84	83	84	82	69	B4GF		
B5GF	74	78	82	81	83	79	65	B5GF		
B6GF	68	(71)	(79)	76	81	77	61	B6GF		
B4GR	76	(84)	--	--	--	79	63	B4GR		
B5GR	62	(67)	(74)	--	--	65	58	B5GR		
B6GR	60	59	--	--	--	61	53	B6GR		
B4GK	71	79	82	81	82	79	65	B4GK		
B5GK	65	73	81	77	80	74	60	B5GK		
B6GK	59	68	73	74	77	66	56	B6GK		
B5RG	--	--	--	--	--	--	54	B5RG		
B4GG	65	73	(82)	77	(78)	73	56	B4GG		
B5GG	60	71	74	(76)	(76)	68	53	B5GG		
Smoking Leaf:										
H1L	--	--	--	--	--	--	91	H1L		
H2L	--	--	(92)	--	--	(92)	88	H2L		
H3L	(88)	--	91	87	(88)	90	86	H3L		
H4L	87	88	90	87	88	89	84	H4L		
H5L	87	--	90	87	88	89	81	H5L		
H6L	--	--	--	--	--	--	77	H6L		
H1F	--	--	--	--	--	--	91	H1F		
H2F	--	--	92	--	--	92	88	H2F		
H3F	88	89	91	87	88	90	86	H3F		
H4F	88	89	90	87	88	89	84	H4F		
H5F	87	88	89	87	88	88	81	H5F		
H6F	(83)	86	89	87	87	87	77	H6F		
H3FR	--	--	93	--	--	93	83	H3FR		
H4FR	(86)	89	91	87	--	90	80	H4FR		
H5FR	85	87	88	87	(88)	87	77	H5FR		
H6FR	(79)	--	--	--	--	82	74	H6FR		
H4K	85	88	89	87	88	88	79	H4K		
H5K	83	85	88	87	87	86	76	H5K		
H6K	76	79	85	85	87	82	72	H6K		
Cutters:										
C1L	--	--	(94)	--	--	(93)	92	C1L		
C2L	--	(92)	--	90	(90)	92	90	C2L		
C3L	90	90	92	88	89	90	88	C3L		
C4L	88	89	90	87	87	88	86	C4L		
C5L	88	89	89	86	87	87	84	C5L		
C1F	--	--	--	--	--	(101)	92	C1F		
C2F	--	--	--	(92)	--	(95)	90	C2F		
C3F	90	90	92	89	88	90	88	C3F		
C4F	88	89	91	87	88	89	86	C4F		
C5F	88	89	89	87	87	88	84	C5F		

See footnotes at end of table.

Continued -

Table 17.- Season average prices per 100 pounds of tobacco by types, in the flue-cured area, and schedule of loan rates, 1972 and 1971 crops. 1/

Group and Grade 2/	1 9 7 2 C R O P Season Averages						Group and Grade 2/	
	11(a) Untied	11(b) Untied	12 Untied	13 Untied	14 Untied	11 - 14 Untied		
	Dol.	Dol.	Dol.	Dol.	Dol.	Dol.		
C4KR	87	87	88	86	87	87	82	C4KR
C4LV	87	89	90	86	87	88	82	C4LV
C4FV	87	88	89	87	87	88	82	C4FV
C4LS	(88)	90	91	87	86	89	80	C4LS
C5LS	--	--	--	--	--	87	77	C5LS
C4KL	87	88	89	87	87	88	80	C4KL
C4KF	86	87	89	86	--	87	80	C4KF
C4KM	87	87	88	86	87	87	80	C4KM
Lugs:								
X1L	89	89	91	--	--	90	88	X1L
X2L	88	89	90	87	87	88	86	X2L
X3L	87	88	89	86	86	87	84	X3L
X4L	87	88	88	86	86	87	81	X4L
X5L	85	87	88	85	86	86	77	X5L
X1F	89	--	91	--	--	90	88	X1F
X2F	88	89	90	87	87	89	86	X2F
X3F	87	88	89	87	87	88	84	X3F
X4F	87	88	88	86	87	87	81	X4F
X5F	85	86	87	86	86	86	77	X5F
X4KR	86	86	87	86	86	86	78	X4KR
X3LV	87	88	88	86	86	87	80	X3LV
X4LV	86	87	88	86	86	86	77	X4LV
X3FV	87	87	88	86	86	87	80	X3FV
X4FV	86	86	88	86	86	86	77	X4FV
X3LS	(86)	(89)	88	86	84	87	79	X3LS
X4LS	(81)	--	--	--	--	84	75	X4LS
X3FS	--	(89)	--	--	--	(89)	77	X3FS
X4FS	--	--	--	--	--	--	74	X4FS
X4KL	83	85	86	85	87	85	75	X4KL
X4KF	82	85	87	86	88	85	75	X4KF
X4KV	84	84	87	86	86	86	72	X4KV
X3KM	86	87	87	86	86	86	78	X3KM
X4KM	85	85	86	86	85	85	74	X4KM
X4GK	79	81	83	83	83	82	69	X4GK
X4G	82	84	84	84	85	84	71	X4G
X5G	71	81	84	80	85	82	66	X5G
Primings:								
P2L	87	88	88	85	86	87	83	P2L
P3L	87	87	87	85	85	86	80	P3L
P4L	87	87	87	84	84	85	77	P4L
P5L	86	86	87	83	83	84	72	P5L
P2F	87	88	88	86	86	87	83	P2F
P3F	87	87	87	86	85	87	80	P3F
P4F	87	87	87	85	85	86	77	P4F
P5F	86	86	86	83	84	85	72	P5F
P4G	85	86	86	82	84	84	68	P4G
P5G	84	83	84	80	82	82	62	P5G

See footnotes at end of table.

Continued -

Table 17.- Season average prices per 100 pounds of tobacco by types, in the flue-cured area, and schedule of loan rates, 1972 and 1971 crops. 1/

Group and Grade 2/	1972 CROP Season Averages						Loan Rate 3/ 11 - 14	Group and Grade 2/
	11(a) Untied	11(b) Untied	12 Untied	13 Untied	14 Untied	11 - 14 Untied		
	Dol.	Dol.	Dol.	Dol.	Dol.	Dol.		
Nondescript:								Nondescript:
N1L	83	83	85	81	82	83	64	N1L
N1XL	83	82	85	84	85	84	68	N1XL
N1K	69	74	83	82	82	78	63	N1K
N1R	62	67	69	76	71	68	53	N1R
N1GL	74	79	82	78	81	79	57	N1GL
N1GF	59	65	72	73	76	68	56	N1GF
N1GR	55	60	(64)	--	72	58	51	N1GR
N1GG	53	56	--	(57)	--	55	47	N1GG
N2	58	70	75	74	76	72	0	N2
No-G	50	61	66	71	72	65	0	No-G
"W"	59	75	79	78	79	75	0	"W"
"U"	60	66	70	76	78	71	0	"U"

See footnotes at end of table.

Continued -

Table 17 - Season average prices per 100 pounds of tobacco, by types, in the flue-cured area, and schedule of loan rates, 1972 and 1971 crops. 1/

Group and grade 2/	1971 crop										Group and grade 2/	
	Season averages								Loan rate 3/			
	11(a) Untied	11(b) Untied	12 Untied	13 Untied	14 Untied	11-13 Tied	11-14 Untied A11	11-14 Tied	11-14 Untied			
Wrappers:	Dol.	Dol.	Dol.	Dol.	Dol.	Dol.	Dol.	Dol.	Dol.	Dol.	Wrappers:	
A1F	--	--	--	--	--	--	--	--	98	95	A1F	
A2F	--	--	(107)	--	--	--	--	--	96	93	A2F	
Leaf:											Leaf:	
B1L	87	--	--	--	--	--	(89)	(89)	92	89	B1L	
B2L	87	--	85	85	--	--	86	86	87	84	B2L	
B3L	83	82	83	82	83	--	83	83	84	81	B3L	
B4L	81	81	81	80	82	--	81	81	82	79	B4L	
B5L	79	80	79	78	80	--	79	79	78	75	B5L	
B6L	--	--	(77)	76	78	--	77	77	74	71	B6L	
B1F	101	--	98	--	(89)	--	98	98	92	89	B1F	
B2F	87	(85)	87	85	84	--	86	86	87	84	B2F	
B3F	83	82	83	82	84	--	83	83	84	81	B3F	
B4F	81	81	82	81	83	--	82	82	82	79	B4F	
B5F	79	79	80	79	82	--	79	79	78	75	B5F	
B6F	77	77	77	76	79	--	77	77	74	71	B6F	
B1FR	--	--	--	--	--	--	(105)	(105)	91	88	B1FR	
B2FR	91	--	--	--	--	--	90	90	86	83	B2FR	
B3FR	85	83	84	82	84	--	85	85	83	80	B3FR	
B4FR	82	81	82	81	83	--	82	82	79	76	B4FR	
B5FR	80	79	80	79	82	--	80	80	75	72	B5FR	
B6FR	77	76	78	(78)	74	--	77	77	70	67	B6FR	
B3R	--	--	--	--	--	--	--	--	69	66	B3R	
B4R	77	(74)	--	--	--	--	76	76	64	61	B4R	
B5R	72	73	73	--	--	--	72	72	58	55	B5R	
B6R	70	71	70	--	--	--	70	70	53	50	B6R	
B3K	78	79	79	77	82	--	79	79	75	72	B3K	
B4K	77	78	79	77	81	--	78	78	72	69	B4K	
B5K	75	76	77	75	76	--	76	76	68	65	B5K	
B6K	73	73	75	72	72	--	73	73	62	59	B6K	
B3KR	78	79	79	77	82	--	79	79	75	72	B3KR	
B4KR	77	77	78	76	80	--	78	78	72	69	B4KR	
B5KR	76	76	77	74	75	--	76	76	69	66	B5KR	
B3LV	81	80	81	80	81	--	80	80	80	77	B3LV	
B4LV	78	79	79	78	79	--	79	79	76	73	B4LV	
B5LV	78	77	77	76	76	--	77	77	72	69	B5LV	
B3FV	79	79	80	79	82	--	80	80	80	77	B3FV	
B4FV	78	78	79	77	81	--	78	78	76	73	B4FV	
B5FV	77	77	78	75	78	--	77	77	72	69	B5FV	
B3LS	78	--	82	77	78	--	78	78	75	72	B3LS	
B4LS	--	(80)	78	76	77	--	77	77	72	69	B4LS	
B5LS	--	(75)	--	76	--	--	76	76	69	66	B5LS	
B6LS	--	--	--	--	--	--	--	--	62	59	B6LS	
B3FS	76	--	80	76	81	--	78	78	71	68	B3FS	
B4FS	--	76	76	72	80	--	76	76	69	66	B4FS	
B5FS	--	--	--	(73)	(76)	--	74	74	65	62	B5FS	
B6FS	--	--	--	--	--	--	--	--	59	56	B6FS	
B3KL	77	76	78	74	78	--	76	76	66	63	B3KL	
B4KL	75	75	76	73	77	--	75	75	64	61	B4KL	
B5KL	73	74	75	72	73	--	73	73	61	58	B5KL	
B6KL	--	--	(71)	69	69	--	70	70	55	52	B6KL	

See footnotes at end of table.

Continued -

Table 17.- Season average prices per 100 pounds of tobacco, by types, in the flue-cured area, and schedule of loan rates, 1972 and 1971 crops. 1/

Group and grade 2/	1971 crop										Group and grade 2/	
	Season averages								Loan rate 3/			
	11(a) Untied	11(b) Untied	12 Untied	13 Untied	14 Untied	11-13 Tied	11-14 Untied	A1	11-14 Tied	Untied		
	Dol.	Dol.	Dol.	Dol.	Dol.	Dol.	Dol.	Dol.	Dol.	Dol.		
B3KF	76	76	78	72	80	--	75	75	65	62	B3KF	
B4KF	74	75	77	72	76	--	74	74	63	60	B4KF	
B5KF	73	73	74	70	72	--	72	72	60	57	B5KF	
B6KF	70	71	72	68	67	--	69	69	54	51	B6KF	
B4KV	75	75	//	75	78	--	76	76	66	63	B4KV	
B5KV	74	74	76	73	74	--	74	74	60	57	B5KV	
B6KV	71	70	73	69	70	--	70	70	55	52	B6KV	
B3KM	77	77	78	75	80	--	77	77	69	66	B3KM	
B4KM	76	76	76	74	77	--	76	76	67	64	B4KM	
B5KM	74	74	74	72	73	--	73	73	64	61	B5KM	
B6KM	71	73	72	69	69	--	70	70	58	55	B6KM	
B5RR	--	--	--	--	--	--	72	72	54	51	B5RR	
B4GL	--	--	76	73	74	--	74	74	69	66	B4GL	
B5GL	--	--	73	70	75	--	72	72	66	63	B5GL	
B6GL	--	--	--	--	--	--	70	70	60	57	B6GL	
B4GF	72	74	76	72	77	--	74	74	68	65	B4GF	
B5GF	71	73	73	70	71	--	71	71	63	60	B5GF	
B6GF	--	68	71	68	68	--	68	68	58	55	B6GF	
B4GR	--	--	--	--	--	--	(74)	(74)	61	58	B4GR	
B5GR	--	(72)	(76)	--	--	--	71	71	55	52	B5GR	
B6GR	--	--	--	--	--	--	(66)	(66)	49	46	B6GR	
B4GK	72	74	74	70	74	--	72	72	63	60	B4GK	
B5GK	69	71	71	67	70	--	69	69	58	55	B5GK	
B6GK	65	69	68	65	65	--	66	66	53	50	B6GK	
B5RG	--	--	--	--	--	--	(66)	(66)	51	48	B5RG	
B4GG	--	--	--	(70)	--	--	70	70	52	49	B4GG	
B5GG	--	--	69	62	62	--	65	65	50	47	B5GG	
 Smoking Leaf:												
H1L	--	--	--	--	--	--	--	--	92	89	H1L	
H2L	--	--	--	--	--	--	--	--	89	86	H2L	
H3L	--	--	--	(85)	--	--	84	84	87	84	H3L	
H4L	82	83	82	83	83	--	83	83	85	82	H4L	
H5L	81	81	81	80	82	--	81	81	82	79	H5L	
H6L	--	--	--	--	--	--	79	79	78	75	H6L	
H1F	--	--	--	--	--	--	--	--	92	89	H1F	
H2F	--	--	--	--	--	--	(87)	(87)	89	86	H2F	
H3F	84	84	84	--	84	--	84	84	87	84	H3F	
H4F	83	83	83	83	84	--	83	83	85	82	H4F	
H5F	81	81	81	81	83	--	81	81	82	79	H5F	
H6F	79	79	79	79	80	--	79	79	78	75	H6F	
H3FR	--	--	--	--	--	--	--	--	82	79	H3FR	
H4FR	81	81	83	--	84	--	82	82	79	76	H4FR	
H5FR	78	80	81	79	82	--	79	79	77	74	H5FR	
H6FR	75	77	80	76	--	--	76	76	73	70	H6FR	
H4K	79	79	80	80	82	--	80	80	79	76	H4K	
H5K	78	78	79	78	80	--	78	78	75	72	H5K	
H6K	75	76	78	76	77	--	76	76	70	67	H6K	

See footnotes at end of table.

Continued -

Table 17.- Season average prices per 100 pounds of tobacco, by types, in the flue-cured area, and schedule of loan rates, 1972 and 1971 crops. 1/

Group and grade 3/	1971 crop										Group and grade 2/
	Season averages								Loan rates 3/		
	11(a) Untied	11(b) Untied	12 Untied	13 Untied	14 Untied	11-13 Tied	11-14 Untied All	11-14 Tied	11-14 Untied		
Dol.	Dol.	Dol.	Dol.	Dol.	Dol.	Dol.	Dol.	Dol.	Dol.	Cutters:	
Cutters:											
C1L	--	--	--	--	--	--	(90)	(90)	93	90	
C2L	--	--	89	--	--	--	90	90	91	88	
C3L	86	--	86	--	--	--	86	86	89	86	
C4L	84	84	85	84	84	--	84	84	87	84	
C5L	83	83	83	83	83	--	83	83	85	82	
C1F	--	--	--	--	--	--	--	--	93	90	
C2F	--	--	(88)	--	--	--	(90)	(90)	91	88	
C3F	--	--	87	--	(86)	--	86	86	89	86	
C4F	84	84	84	84	84	--	84	84	87	84	
C5F	83	83	82	83	83	--	83	83	85	82	
C4K	81	81	81	81	81	--	81	81	83	80	
C4KR	81	81	81	81	82	--	81	81	83	80	
C4LV	81	81	82	81	82	--	82	82	83	80	
C4FV	81	81	81	81	82	--	81	81	83	80	
C4LS	82	(80)	82	80	80	--	81	81	79	76	
C5LS	--	--	--	(78)	--	--	(78)	(78)	76	73	
C4KL	80	80	81	79	81	--	80	80	80	77	
C4KF	79	--	--	79	--	--	79	79	80	77	
C4KM	80	80	80	79	81	--	79	79	80	77	
Lugs:											
X1L	--	--	--	--	--	--	--	--	89	86	
X2L	84	84	84	--	(84)	--	84	84	87	84	
X3L	83	83	83	83	83	--	83	83	85	82	
X4L	81	81	81	80	81	--	81	81	82	79	
X5L	79	79	79	78	78	--	79	79	77	74	
X1F	--	--	--	--	--	--	--	--	89	86	
X2F	84	(84)	(84)	--	--	--	84	84	87	84	
X3F	83	83	83	83	83	--	83	83	85	82	
X4F	81	80	80	80	82	--	81	81	82	79	
X5F	79	78	78	78	79	--	78	78	77	74	
X4KR	79	78	78	78	80	--	79	79	78	75	
X3LV	81	80	81	80	80	--	80	80	80	77	
X4LV	79	78	79	79	79	--	79	79	77	74	
X3FV	80	80	80	80	81	--	80	80	80	77	
X4FV	79	78	79	78	79	--	79	79	77	74	
X3LS	--	(80)	81	81	79	--	80	80	78	75	
X4LS	--	--	79	--	(78)	--	78	78	74	71	
X3FS	--	--	--	--	80	--	80	80	76	73	
X4FS	--	--	--	--	--	--	(78)	(78)	73	70	
X4KL	78	77	78	77	76	--	77	77	75	72	
X4KF	77	77	79	77	78	--	77	77	75	72	
X4KV	76	76	78	76	77	--	77	77	70	67	
X3KM	79	78	79	78	79	--	79	79	78	75	
X4KM	78	77	78	77	78	--	77	77	73	70	
X4GK	74	74	74	73	75	--	74	74	67	64	
X4G	76	75	76	75	76	--	75	75	70	67	
X5G	--	73	75	73	74	--	73	73	64	61	

See footnotes at end of table.

Continued -

Table 17.- Season average prices per 100 pounds of tobacco, by types, in the flue-cured area, and schedule of loan rates, 1972 and 1971 crops. 1/

Group and grade 2/	1971 crop								Group and grade 2/
	Season averages							Loan rates 3/	
	11(a) Untied	11(b) Untied	12 Untied	13 Untied	14 Untied	11-13 Tied	11-14 Untied	A11	
Dol.	Dol.	Dol.	Dol.	Dol.	Dol.	Dol.	Dol.	Dol.	Dol.
Primings:									Primings:
P2L	82	82	82	82	82	--	82	82	P2L
P3L	81	80	80	79	80	--	80	80	P3L
P4L	79	79	78	77	78	--	78	78	P4L
P5L	76	76	76	75	75	--	76	76	P5L
P2F	83	(82)	(82)	(82)	(82)	--	82	82	P2F
P3F	81	80	80	79	80	--	80	80	P3F
P4F	79	78	78	77	78	--	78	78	P4F
P5F	76	76	76	75	75	--	75	75	P5F
P4G	75	75	75	73	74	--	74	74	P4G
P5G	72	72	74	71	71	--	72	72	P5G
Nondescript:									Nondescript:
N1L	72	73	74	71	71	--	72	72	N1L
N1XL	75	75	76	74	77	--	75	75	N1XL
N1K	71	73	75	71	70	--	72	72	N1K
N1F	--	--	72	67	70	--	69	69	N1F
N1R	66	69	70	65	62	--	67	67	N1R
N1GL	71	70	72	67	69	--	69	69	N1GL
N1GF	65	68	69	64	67	--	67	67	N1GF
N1GR	61	66	66	--	65	--	64	64	N1GR
N1GG	--	--	(58)	58	57	--	58	58	N1GG
N2	61	65	68	64	64	--	64	64	N2
No-G	60	61	65	62	62	--	63	63	No-G
"W"	67	68	69	74	67	--	70	70	"W"
"U"	66	68	67	67	64	--	67	67	"U"

1/ Averages based on auction bids for "untied" tobacco. "Tied" sales volume was insufficient to establish representative averages. Averages are in parentheses in instances when 10 or more but less than 20 lots were recorded.

2/ For key to standard trademarks see brief of classifications on Page 2.

3/ Commodity Credit Corporation loans made available through the Flue-cured Cooperative Stabilization Corporation, Raleigh, N. C. In 1972 loan rates were the same for "tied" and "untied" offerings. Tobacco graded "W" (unsafe), "U" (unsound), N2, and No-G (no grade) was not accepted. Any eligible tobacco identified as "discount" variety was supported at one-half the support rates for comparable grades of other varieties.

Table 18.-

TYPE 11 (a) -- OLD BELT FLUE - CURED

Average prices per 100 pounds of tobacco, by weeks, on representative grades, for Old Belt flue-cured markets,
and season averages, 1972 and 1971 crops. 1/

Group and Grade 2/ Leaf:	WEEK ENDING:												1972				Group and Grade 2/ Leaf:
	Aug. 24 1972	Aug. 31 1972	Sept. 7 1972	Sept. 14 1972	Sept. 21 1972	Sept. 28 1972	Oct. 5 1972	Oct. 12 1972	Oct. 19 1972	Oct. 26 1972	Nov. 2 1972	Nov. 9 1972	Nov. 15 1972	1972 Crop Average	1971 Crop Average	1971 Crop Average	
B3L	--	87	87	87	87	88	90	90	89	86	85	86	86	--	88	83	B3L
B4L	--	87	87	87	87	88	89	88	86	84	84	83	83	--	87	81	B4L
B5L	--	--	87	86	86	86	87	85	84	--	81	81	81	--	86	79	B5L
B2F	--	--	--	88	88	89	94	92	--	100	96	--	--	--	93	87	B2F
B3F	--	87	87	87	87	88	90	89	88	86	85	84	84	--	88	83	B3F
B4F	--	87	87	87	87	87	88	87	85	83	84	82	82	--	86	81	B4F
B5F	--	87	87	87	86	85	86	84	81	79	80	78	79	--	84	79	B5F
B6F	--	--	--	--	84	83	82	--	--	--	--	--	--	--	80	77	B6F
B3FR	--	--	--	--	89	89	91	88	89	87	87	87	87	--	89	85	B3FR
B4FR	--	--	--	--	86	88	86	87	86	80	80	80	80	--	86	82	B4FR
B5FR	--	--	--	--	81	87	88	83	82	81	75	75	75	--	83	80	B5FR
B3K	--	--	--	--	86	84	86	82	82	79	79	78	78	--	82	78	B3K
B4K	--	--	--	87	84	85	83	81	78	77	75	74	74	--	80	77	B4K
B5K	--	--	--	86	82	83	81	78	.76	73	72	71	71	--	75	75	B5K
B6K	--	--	--	--	77	78	77	72	69	68	67	67	66	--	69	73	B6K
B3KR	--	--	--	86	86	87	82	81	78	77	77	77	77	--	82	78	B3KR
B4KR	--	--	--	86	84	85	84	82	81	77	75	75	75	--	81	77	B4KR
B5KR	--	--	--	--	83	--	81	77	74	73	--	--	--	--	77	76	B5KR
B3LV	--	--	--	87	87	88	--	86	--	84	--	--	--	--	86	81	B3LV
B4LV	--	--	87	87	86	86	86	84	81	80	81	81	81	--	85	78	B4LV
B5LV	--	--	87	85	85	83	--	83	--	--	--	--	--	--	83	78	B5LV
B3FV	--	--	86	86	86	86	86	83	84	82	82	82	82	--	85	79	B3FV
B4FV	--	87	87	87	85	84	84	82	80	78	78	78	78	--	77	78	B4FV
B5FV	--	--	85	82	82	81	81	77	75	75	75	75	75	--	80	77	B5FV
B3KL	--	--	--	84	80	79	78	76	72	72	73	73	72	--	74	77	B3KL
B4KL	--	--	87	81	79	77	74	71	70	70	70	70	70	--	76	75	B4KL
B5KL	--	--	--	80	76	75	71	68	67	67	65	65	65	--	71	73	B5KL
B3KF	--	--	--	82	82	79	75	71	71	69	69	69	68	--	75	76	B3KF
B4KF	--	--	84	81	77	74	70	69	68	68	67	67	67	--	73	74	B4KF
B5KF	--	--	82	79	77	74	71	68	68	66	66	65	65	--	69	73	B5KF
B6KF	--	--	--	--	73	66	65	65	63	63	61	61	61	--	64	70	B6KF
B4RV	--	--	83	84	82	80	77	73	73	69	69	69	69	--	76	75	B4RV
B5KV	--	--	--	--	76	--	76	--	70	67	66	66	66	--	70	74	B5KV
B6KV	--	--	--	--	--	--	--	68	67	64	64	61	61	--	66	71	B6KV
B3KM	--	87	87	84	83	83	80	78	77	75	75	74	74	--	72	71	B3KM
B4KM	--	87	85	83	82	81	76	75	72	72	72	70	70	--	77	77	B4KM
B5KM	--	--	80	78	79	74	72	70	67	68	68	68	68	--	74	74	B5KM
B4GF	--	--	85	79	80	80	75	70	71	70	70	67	67	--	76	72	B4GF
B5GF	--	--	81	77	78	76	73	67	67	67	67	67	67	--	74	71	B5GF
B4GK	--	--	83	79	77	75	72	68	68	67	66	66	66	--	71	72	B4GK
B5GK	--	--	--	77	75	73	69	63	65	64	64	62	61	--	65	69	B5GK
B6GK	--	--	--	--	--	--	--	61	61	60	60	57	55	--	59	65	B6GK

Smoking Leaf:		Smoking Leaf:															
H4F	H5F	H4K	H5K	H6K	C3L	C4L	C5L	C4F	C5F	C4KR	C4LV	C4FV	C4KL	C4RM	Cutters:	C3L	
--	--	--	--	--	87	87	88	88	89	91	89	87	85	85	--	88	83
H5F	--	--	--	--	87	87	88	88	88	90	88	84	82	82	--	87	H4F
H4K	--	--	--	--	--	87	87	88	88	88	90	86	80	80	--	88	H5F
H5K	--	--	--	--	--	87	87	88	87	86	90	83	78	78	--	88	H4K
H6K	--	--	--	--	--	--	--	--	81	78	76	74	--	73	--	75	H5K
																	H6K
Cutters:		Cutters:								Cutters:						C4RM	
C3L	--	--	87	87	87	87	87	88	89	91	91	90	87	87	--	90	86
C4L	87	87	87	87	87	87	87	88	88	90	91	90	86	85	--	88	84
C5L	--	87	87	87	87	87	87	87	89	90	90	89	87	87	--	88	83
C4F	--	87	87	87	87	87	87	87	88	90	90	89	87	87	--	88	84
C5F	87	87	87	87	87	87	87	87	88	90	91	89	85	85	--	88	83
C4KR	--	--	87	87	87	87	87	88	89	--	88	84	84	84	--	87	C5F
C4LV	--	--	87	87	87	87	87	87	88	--	--	88	84	84	--	87	C4KR
C4FV	--	--	87	87	87	87	87	87	88	--	--	84	--	--	--	87	C4LV
C4KL	--	--	87	87	87	87	87	88	89	--	86	--	--	--	--	87	C4FV
C4RM	--	87	--	87	87	87	88	88	89	--	87	84	83	83	--	87	C4KL
																	C4RM
Lugs:		Lugs:								Lugs:						Lugs:	
X2L	87	87	87	87	87	87	87	87	88	90	91	89	85	85	--	88	84
X3L	87	87	87	87	87	87	87	87	88	89	90	87	84	83	--	87	83
X4L	87	87	87	87	87	87	87	87	88	89	90	87	84	83	--	87	X4L
X2F	--	87	87	87	87	87	87	87	88	88	90	--	--	--	--	88	X2F
X3F	87	87	87	87	87	87	87	87	88	89	90	89	85	85	--	87	X3F
X4F	87	87	87	87	87	87	87	87	88	89	90	88	83	83	--	87	X4F
X5F	87	87	87	87	87	87	87	87	88	88	88	85	79	79	--	85	X5F
X4KR	--	87	87	87	87	87	87	87	88	88	88	--	--	--	--	86	X4KR
X3LV	87	87	87	87	87	87	87	87	88	89	89	--	--	83	--	87	X3LV
X4LV	--	87	--	87	87	86	86	87	87	--	--	--	--	--	--	86	X4LV
X3FV	87	87	87	87	87	87	87	87	87	89	90	87	--	--	--	87	X3FV
X4FV	87	87	87	87	87	87	87	87	88	88	89	83	80	81	--	86	X4FV
X4KL	--	--	87	86	86	86	84	86	--	--	81	80	79	79	--	83	X4KL
X3RM	87	87	87	87	86	87	87	87	88	--	85	83	--	--	--	86	X3RM
X4RM	--	87	87	87	85	85	86	86	88	88	84	80	77	77	--	85	X4RM
Primings:		Primings:								Primings:						Primings:	
P2L	87	87	87	87	87	87	87	87	88	90	90	--	--	--	--	87	P2L
P3L	87	87	87	87	87	87	87	87	88	89	89	83	80	78	--	87	P3L
P4L	87	87	87	87	87	87	87	87	87	87	87	--	--	76	--	87	P4L
P5L	87	87	87	87	87	87	87	87	87	89	89	--	86	73	--	86	P5L
P3F	87	87	87	87	87	87	87	87	87	89	89	--	86	73	--	87	P3F
P4F	87	87	87	87	87	87	87	87	88	89	89	--	79	78	--	87	P4F
P5F	86	87	87	87	87	86	86	87	87	87	84	83	79	73	--	86	P5F
P4G	86	86	--	86	--	86	--	--	--	--	--	--	--	--	--	85	P4G
P5G	86	86	--	--	--	--	--	84	--	--	--	--	--	--	--	84	P5G
Nondescript:		Nondescript:								Nondescript:						Nondescript:	
NIL	86	86	86	85	84	83	81	80	74	69	65	67	64	64	--	83	NIL
N1K	--	--	--	--	--	81	--	--	70	67	66	66	64	64	--	71	N1K
N1GF	--	--	--	--	--	--	--	--	--	57	56	--	--	--	--	59	N1GF
N1GR	--	--	--	--	--	--	--	--	--	58	57	53	52	52	--	61	N1GR
N2	83	81	--	73	79	71	72	61	56	51	45	41	40	38	--	58	N2

1/

Averages based on auction bids for "untied" tobacco. "Tied" sales volume was insufficient to establish representative averages.

2/

For key to standard trademarks see brief of classifications on Page 2.

Table 19.-

TYPE 11 (b) -- MIDDLE BELT FLUE-CURED

Average prices per 100 pounds of tobacco, by weeks, on representative grades, for the Middle Belt flue-cured markets
and season averages, 1972 and 1971 crops. 1/

Group and Grade 2/ Leaf:	W E E K E N D I N G:												1972 Crop Average				Group and Grade 2/ Leaf:
	Aug. 24 1972	Aug. 31 1972	Sept. 7 1972	Sept. 14 1972	Sept. 21 1972	Sept. 28 1972	Oct. 5 1972	Oct. 12 1972	Oct. 19 1972	Oct. 26 1972	Nov. 2 1972	Nov. 9 1972					
B3L	--	87	88	88	90	90	91	91	91	91	91	91	--	--	89	82	B3L
B4L	87	87	88	88	89	90	90	90	90	90	90	90	83	83	89	81	B4L
B5L	--	--	--	--	88	88	88	88	88	88	88	88	--	--	88	80	B5L
B3F	87	87	88	88	90	90	90	91	90	91	90	91	83	85	89	82	B3F
B4F	87	87	88	88	89	90	90	90	90	90	90	90	82	82	89	81	B4F
B5F	87	87	88	88	88	89	89	88	88	88	89	89	80	80	87	79	B5F
B6F	--	--	--	--	88	--	85	--	--	85	--	--	75	--	--	77	B6F
B3FR	--	--	--	--	88	--	89	--	90	--	90	--	--	--	83	77	B3FR
B4FR	--	--	--	--	88	88	90	91	89	91	88	85	82	--	88	83	B4FR
B5FR	--	--	--	--	88	--	89	88	89	89	88	89	84	77	--	88	B5FR
B3K	--	87	88	88	88	88	88	88	87	83	88	88	78	79	78	79	B3K
B4K	87	87	88	88	88	88	88	88	86	86	86	86	80	77	77	78	B4K
B5K	87	87	88	88	86	86	86	86	84	84	86	86	75	75	85	85	B5K
B6K	--	--	--	--	--	83	84	82	74	74	69	69	73	73	79	76	B6K
B3KR	--	87	88	88	88	88	89	89	88	89	88	89	84	77	--	87	B3KR
B4KR	87	87	88	88	88	88	88	88	87	83	88	88	80	78	--	86	B4KR
B5KR	--	--	--	--	87	84	87	87	--	73	75	75	74	74	--	85	B5KR
B3LV	--	87	--	88	--	90	--	--	--	--	--	--	--	--	--	81	B3LV
B4LV	--	--	--	--	88	88	89	87	90	82	82	77	77	--	--	88	B4LV
B5LV	--	87	88	88	88	88	88	88	89	89	89	89	84	82	--	87	B5LV
B3FV	--	87	88	88	88	88	88	88	87	88	88	88	82	82	--	87	B3FV
B4FV	--	87	88	88	88	88	88	88	87	88	86	86	81	78	--	86	B4FV
B5FV	--	--	87	--	85	85	86	86	86	82	82	82	77	75	--	82	B5FV
B4FS	--	--	--	--	88	--	88	--	83	--	--	--	--	--	--	85	B4FS
B3QL	--	--	--	--	88	--	87	--	88	90	89	87	82	77	--	87	B3QL
B4QL	--	--	--	--	88	87	84	87	88	88	89	87	85	82	--	87	B4QL
B5QL	--	--	--	--	--	80	--	--	80	80	75	75	73	74	--	83	B5QL
B3KF	--	--	--	--	88	88	86	86	85	85	85	85	76	72	--	79	B3KF
B4KF	--	--	--	--	87	87	85	86	86	86	86	86	74	74	--	83	B4KF
B5KF	--	--	--	--	84	85	84	84	80	74	72	72	71	70	--	83	B5KF
B6KF	--	--	--	--	84	84	82	81	78	75	77	78	68	68	--	76	B6KF
B4KV	--	--	--	--	87	87	85	85	86	86	86	86	74	74	--	79	B4KV
B5KV	--	--	--	--	84	81	84	80	80	71	69	68	--	--	--	83	B5KV
B6KV	--	--	--	--	--	84	84	84	84	80	71	69	64	64	--	69	B6KV
B3KM	--	87	88	88	87	87	88	88	86	86	86	86	79	76	--	85	B3KM
B4KM	86	87	88	87	87	86	86	86	84	84	84	84	77	75	--	83	B4KM
B5KM	--	--	88	87	85	85	84	82	81	81	81	81	73	70	--	79	B5KM
B6KM	--	--	--	--	--	85	--	--	--	--	--	--	67	67	--	73	B6KM
B4GF	--	--	--	--	--	82	80	81	--	--	--	--	--	--	--	83	B4GF
B5GF	--	--	--	--	86	82	81	80	79	72	68	68	--	--	--	78	B5GF
B4GK	--	85	86	86	86	82	81	80	79	72	72	72	--	--	--	79	B4GK
B5GK	--	--	--	--	80	78	80	76	72	67	65	65	--	--	--	73	B5GK

Smoking Leaf:												Cutters:	
H4L	--	--	88	--	--	90	91	92	90	86	--	88	83
H4F	--	--	88	--	--	90	90	91	88	85	84	89	83
H5F	--	--	88	88	--	90	90	91	88	84	--	88	H4F
H4K	--	--	88	88	89	90	90	91	88	83	81	88	H4K
H5K	--	--	88	88	89	90	89	84	80	78	85	78	H5K
H6K	--	--	--	--	88	--	88	78	77	75	73	79	H6K
Gutters:	C4L	--	87	88	89	90	91	92	90	86	--	--	84
	C5L	87	87	88	88	90	91	91	89	85	85	--	84
	C4F	87	87	88	88	90	91	92	90	87	87	--	84
	C5F	87	87	88	88	90	91	91	90	85	85	--	83
	C4KR	87	87	88	88	89	90	91	88	83	83	--	83
	C4LV	--	87	--	88	90	--	91	91	88	--	--	87
	C4FV	--	87	88	88	--	90	90	--	--	--	--	89
	C4KM	87	87	88	88	89	90	90	85	81	82	--	87
Lugs:	X2L	--	--	88	88	90	90	91	90	87	--	--	84
	X3L	87	87	88	88	90	90	91	89	85	85	--	83
	X4L	87	87	88	88	89	90	90	87	82	82	--	83
	X5L	87	87	88	88	--	90	--	--	--	--	--	81
	X3F	87	87	88	88	90	90	91	89	85	85	--	81
	X4F	87	87	88	88	89	90	90	87	83	82	--	80
	X5F	87	87	88	88	89	90	90	84	79	79	--	78
	X4KR	87	--	88	88	89	90	90	85	81	79	--	78
	X3LV	87	87	88	88	90	90	--	85	--	--	--	80
	X4LV	--	--	88	--	--	--	--	--	--	--	--	80
	X3FV	87	87	88	88	89	90	90	85	81	81	--	80
	X4FV	86	87	88	88	88	89	--	84	78	79	--	78
	X4KL	--	--	--	88	88	--	--	81	--	--	--	86
	X4KF	--	--	--	88	--	--	--	82	--	--	--	85
	X3KM	87	87	--	88	89	90	89	84	81	81	--	87
	X4KM	--	87	88	88	89	89	88	81	78	78	--	78
	X4GK	--	--	--	--	--	85	--	77	--	75	--	74
Primings:	P2L	87	--	88	--	--	--	--	--	--	--	--	82
	P3L	87	87	88	89	90	90	90	89	80	80	--	80
	P4L	87	87	88	89	90	90	90	82	77	78	--	79
	P5L	87	87	88	88	88	--	--	--	72	--	--	76
	P3F	87	87	88	88	89	90	--	--	--	--	--	80
	P4F	87	87	88	88	89	90	89	83	77	78	--	78
	P5F	87	87	87	88	88	89	87	79	73	73	--	76
	P4G	87	--	--	87	--	--	--	--	--	--	--	75
	P5G	--	--	--	86	--	--	--	--	--	--	--	72
Nondescript:	NIL	85	85	86	86	87	85	83	77	67	66	67	73
	N1XL	--	86	--	88	--	--	--	80	--	--	87	80
	N1K	--	--	--	--	--	--	--	82	--	--	82	75
	N1GR	--	--	--	--	--	--	--	78	78	78	74	73
	N2	83	84	84	81	77	81	--	--	64	61	60	66
									59	50	51	50	65

¹/ Averages based on auction bids for "untied" tobacco. "Tied" sales volume was insufficient to establish representative averages.

²/ For key to standard trademarks see brief of classifications on Page 2.

Table 20.-

TYPE 12 -- EASTERN NORTH CAROLINA FLUE-CURED

Average prices per 100 pounds of tobacco, by weeks, on representative grades, for the Eastern North Carolina flue-cured markets,
and season averages, 1972 and 1971 crops. ^{1/}

Group and Grade 2/ Leaf:	WEEK ENDING:												1972				Group and Grade 2/ Leaf:	
	Aug. 10 1972	Aug. 17 1972	Aug. 24 1972	Aug. 31 1972	Sept. 7 1972	Sept. 14 1972	Sept. 21 1972	Sept. 28 1972	Oct. 5 1972	Oct. 12 1972	Oct. 19 1972	Oct. 26 1972	Nov. 2 1972	Crop Average	Crop Average	Crop Average		
B2L	--	--	--	--	--	--	--	93	--	95	--	--	--	93	85	85	B2L	
B3L	87	87	88	89	90	90	90	92	91	92	91	88	85	90	83	83	B3L	
B4L	86	87	88	89	90	90	90	91	92	91	91	86	--	89	81	81	B4L	
B5L	--	--	87	88	89	89	89	90	92	--	83	--	--	89	79	79	B5L	
B1F	--	--	--	--	--	--	--	--	--	95	--	--	--	--	94	98	98	B1F
B2F	--	--	--	90	90	91	93	94	95	92	92	89	88	88	92	87	B2F	
B3F	87	87	88	89	90	90	90	92	93	93	93	88	86	85	90	83	B3F	
B4F	87	87	87	89	90	89	90	91	91	91	91	85	83	84	89	82	B4F	
B5F	86	87	87	89	90	89	89	90	90	90	90	82	80	79	88	80	B5F	
B6F	--	--	--	88	--	88	89	--	--	89	--	--	--	--	87	77	77	B6F
B3FR	--	--	--	90	90	90	92	93	94	94	94	86	84	--	91	84	B3FR	
B4FR	--	--	88	88	90	90	92	92	94	94	94	83	83	81	90	82	B4FR	
B5FR	--	--	--	--	89	89	88	90	91	91	91	80	79	--	88	80	B5FR	
B3K	--	--	88	89	89	90	89	90	91	91	91	83	80	80	89	79	B3K	
B4K	--	87	87	89	90	89	89	89	90	90	90	80	78	77	88	79	B4K	
B5K	--	86	87	88	89	88	88	88	88	88	88	77	75	73	86	77	B5K	
B6K	--	--	--	88	88	87	87	87	85	84	83	73	70	68	83	75	B6K	
B3KR	--	87	87	88	88	89	89	89	89	90	90	82	79	80	87	79	B3KR	
B4KR	86	86	87	87	88	88	88	88	88	89	89	89	89	80	80	89	B4KR	
B5KR	--	--	85	88	89	89	88	88	88	89	90	90	89	77	75	72	B5KR	
B3LV	--	87	88	89	90	--	--	--	90	92	92	92	82	--	--	88	81	B3LV
B4LV	--	87	88	89	90	90	--	--	90	92	92	92	--	--	--	88	79	B4LV
B3FV	--	87	88	89	90	89	88	88	88	88	88	89	89	80	80	88	B3FV	
B4FV	87	87	88	88	89	89	88	88	88	88	88	89	89	80	78	86	B4FV	
B5FV	--	--	87	87	88	89	88	88	88	88	88	84	84	78	77	77	B5FV	
B3KL	--	--	--	89	89	90	90	--	--	90	92	92	92	--	--	86	81	B3KL
B4KL	--	--	87	88	89	89	90	--	--	87	88	86	86	--	--	88	79	B4KL
B5KL	--	--	87	88	89	89	88	88	88	88	88	83	83	79	86	80	B5KL	
B4KV	--	--	87	88	88	89	88	88	88	87	87	86	86	82	82	85	B4KV	
B5KF	--	--	87	87	88	88	87	87	87	87	87	86	84	77	77	77	B5KF	
B3KM	--	--	--	89	88	88	88	88	87	87	87	86	86	80	78	80	B3KM	
B4KM	85	87	86	87	87	88	87	87	87	87	87	86	85	79	74	74	B4KM	
B5KM	--	85	86	86	86	88	86	85	87	85	85	82	82	75	74	76	B5KM	
B6KM	--	--	87	87	87	88	87	87	87	87	87	86	86	73	72	72	B6KM	
B3KF	--	--	86	--	--	86	--	--	86	87	87	--	--	--	85	77	B4KV	
B4KF	--	86	86	86	86	86	86	85	84	84	84	84	84	73	72	72	B5KV	
B5KF	85	87	88	88	89	88	87	88	88	87	87	86	86	80	78	78	B3KM	
B4KM	85	87	86	87	87	88	87	87	87	87	87	86	85	74	74	76	B4RM	
B5KM	--	86	86	85	85	85	85	85	85	85	85	82	82	73	73	73	B5GF	
B6KM	--	--	86	--	--	84	--	--	84	84	84	--	--	--	--	82	B4GK	
B4GF	--	--	--	--	--	--	--	--	83	83	83	--	--	--	--	82	B5GK	
B5GF	--	--	--	--	--	--	--	--	82	82	82	--	--	72	71	71	B4GK	
B4GK	--	--	86	--	--	84	--	--	82	82	82	--	--	72	68	68	B5GK	
B5GK	--	--	--	--	--	--	--	--	80	80	80	--	--	73	68	68	B6GK	

Smoking Leaf:		Smoking Leaf:																				
		H4L	H5L	H3F	H4F	H5F	H5FR	H4K	H5K	H6K		H4L	H5L	H3F	H4F	H5F	H5FR	H4K	H5K	H6K		
Cutters:		--	--	--	--	--	--	--	--	--		90	90	92	92	92	92	90	90	92	90	
C3L	--	--	--	--	--	--	--	--	--	--		90	90	92	92	92	92	91	91	92	91	
C4L	87	87	88	88	89	89	90	90	90	90		90	90	92	92	92	92	87	87	86	87	
C5L	87	87	88	88	89	89	90	90	90	90		91	92	93	93	93	93	91	92	92	92	
C3F	--	--	--	--	--	--	--	--	--	--		90	90	92	92	92	92	86	86	87	87	
C4F	87	87	88	88	89	89	90	90	90	90		90	90	91	91	91	91	92	92	91	91	
C5F	87	87	88	88	89	89	90	90	90	90		90	90	91	91	91	91	87	87	85	85	
C4KR	87	87	87	87	89	89	90	90	90	90		90	90	91	91	91	91	86	86	84	84	
C4LV	--	87	88	88	90	90	90	90	90	90		91	91	92	92	92	92	88	88	82	82	
C4FV	--	--	87	90	90	90	90	90	90	90		91	91	92	92	92	92	86	86	81	81	
C4KL	--	--	--	--	--	--	--	--	--	--		88	88	90	90	90	90	92	92	92	92	
C4RM	87	87	88	88	89	89	90	90	90	90		89	89	90	90	90	90	89	89	84	84	
Lugs:												90	90	91	91	91	91	93	93	93	93	
X2L	87	87	88	88	89	89	90	90	90	90		90	90	92	92	92	92	91	91	86	86	--
X3L	86	87	88	88	89	89	90	90	90	90		90	90	92	92	92	92	86	86	82	82	--
X4L	87	87	87	87	88	89	90	90	90	90		89	89	92	92	92	92	91	91	86	86	--
X5L	--	87	87	87	87	88	89	89	89	89		90	90	92	92	92	92	91	91	82	82	--
X3F	87	87	87	87	88	89	90	90	90	90		89	90	91	91	91	91	86	86	84	84	--
X4F	86	87	87	87	87	88	89	89	89	89		89	89	91	91	91	91	84	84	82	82	--
X5F	87	87	87	87	87	88	89	89	89	89		89	89	90	90	90	90	89	89	82	82	--
X4KR	86	87	86	86	86	87	88	88	88	88		89	89	90	90	90	90	91	91	83	83	--
X3LV	87	87	88	88	88	89	90	90	90	90		--	--	--	--	--	--	--	--	87	87	--
X4LV	87	87	87	87	88	88	89	89	89	89		--	--	--	--	--	--	--	--	88	88	--
X3FV	87	87	87	87	87	88	89	89	89	89		90	91	92	92	92	92	85	85	85	85	--
X4FV	87	87	87	87	87	88	89	89	89	89		90	90	90	91	91	91	86	86	86	86	--
X3RM	87	87	87	87	87	88	88	89	89	89		90	90	90	90	90	90	89	89	81	81	--
X4RM	87	87	87	87	87	88	88	89	89	89		89	89	90	90	90	90	88	88	80	80	--
Primings:												--	--	--	--	--	--	--	--	--	--	
P2L	87	87	88	88	89	89	90	90	90	90		90	90	91	91	91	91	87	87	87	87	--
P3L	86	87	87	87	88	89	90	90	90	90		89	89	90	90	90	90	89	89	80	80	--
P4L	86	87	87	87	87	88	88	88	88	88		89	89	90	90	90	90	81	81	78	78	--
P5L	86	87	87	87	87	88	89	89	89	89		89	89	90	90	90	90	73	73	76	76	--
P3F	87	87	87	87	87	88	88	89	89	89		90	90	91	92	92	92	83	83	80	80	--
P4F	87	87	87	87	87	88	88	88	88	88		89	89	90	90	90	90	77	77	78	78	--
P5F	86	87	87	87	87	88	88	88	88	88		87	87	88	88	88	88	87	87	86	86	--
Nondescript:												--	--	--	--	--	--	--	--	--	--	
N1L	86	87	86	87	87	88	88	88	88	88		86	87	88	88	88	88	81	81	82	82	--
N1XL	86	87	87	87	87	87	88	88	88	88		89	89	90	90	90	90	75	75	76	76	--
N1K	--	--	87	87	87	87	88	88	88	88		88	88	89	89	89	89	73	73	75	75	--
N2	84	83	84	81	84	81	84	79	81	75		75	75	75	75	75	75	57	57	68	68	--

^{1/} Averages based on auction bids for "untied" tobacco. "Tied" sales volume was insufficient to establish representative averages.

^{2/} For key to standard trademarks see brief of classifications on Page 2.

Table 21.-

TYPE 13

S O U T H C A R O L I N A A N D B O R D E R N O R T H C A R O L I N A F L U E - C U R E D
Average prices per 100 pounds of tobacco, by weeks, on representative grades, for the South Carolina and Border
North Carolina flue-cured markets, and season averages. 1972 and 1971 crops. 1/

Group and Grade 2/ Leaf:	WEEK ENDING:												Group and Grade 2/ Leaf:
	July 27 1972	Aug. 3 1972	Aug. 10 1972	Aug. 17 1972	Aug. 24 1972	Aug. 31 1972	Sept. 7 1972	Sept. 14 1972	Sept. 21 1972	Sept. 28 1972	1972 Crop Average	1971 Crop Average	
B2L	--	--	87	87	87	88	--	--	--	--	87	85	B2L
B3L	85	87	87	87	87	87	87	87	87	87	87	82	B3L
B4L	84	86	87	87	87	87	87	87	87	87	87	80	B4L
B5L	--	86	87	87	86	87	87	87	87	--	--	78	B5L
B2F	--	87	87	87	87	87	87	87	87	--	87	85	B2F
B3F	85	86	87	87	86	87	87	87	87	--	87	82	B3F
B4F	84	86	87	87	86	87	87	87	87	87	87	81	B4F
B5F	--	85	86	87	85	86	87	87	87	87	87	79	B5F
B6F	--	--	86	86	81	86	86	87	86	85	85	76	B6F
B4FR	--	--	--	86	85	86	86	88	87	87	86	81	B4FR
B5FR	--	--	--	84	84	86	86	87	86	86	86	79	B5FR
B3K	--	--	--	87	85	86	87	87	87	87	87	77	B3K
B4K	77	78	86	86	84	86	85	87	87	87	86	77	B4K
B5K	--	--	83	86	83	86	86	87	86	85	85	75	B5K
B6K	--	--	--	--	82	83	81	86	84	83	83	72	B6K
B3KR	--	--	84	86	86	84	86	87	87	86	86	77	B3KR
B4KR	--	84	85	86	84	85	86	87	87	87	86	76	B4KR
B5KR	--	--	79	--	80	84	86	85	85	84	83	74	B5KR
B3LV	84	86	87	86	86	87	87	--	--	--	86	80	B3LV
B4LV	--	86	86	85	85	87	87	--	87	87	86	78	B4LV
B3FV	--	86	86	86	85	86	87	87	87	87	86	79	B3FV
B4FV	--	85	86	86	84	86	86	87	87	86	86	77	B4FV
B5FV	--	84	83	85	83	85	85	87	86	84	85	75	B5FV
B3FS	--	--	--	--	--	--	--	--	87	86	--	86	B3FS
B4FS	--	--	--	--	--	85	--	87	--	--	86	76	B4FS
B3KL	--	--	86	--	--	84	--	--	--	--	--	72	B3KL
B4KL	--	--	84	86	83	--	--	--	--	--	84	74	B4KL
B3KF	--	--	86	--	80	85	86	87	87	86	84	73	B3KF
B4KF	--	82	82	84	79	84	85	87	86	84	83	72	B4KF
B5KF	--	--	81	--	77	83	84	83	86	82	81	70	B5KF
B4KV	--	--	--	--	--	84	83	86	86	83	84	75	B4KV
B5KV	--	--	--	--	81	81	--	85	85	83	83	73	B5KV
B3KM	81	85	85	84	84	85	86	87	86	86	85	75	B3KM
B4KM	78	84	85	82	85	82	85	87	86	86	84	74	B4KM
B5KM	--	78	81	82	77	83	84	86	84	82	81	72	B5KM
B4GL	--	--	84	--	81	--	84	83	--	--	84	73	B4GL
B4GF	--	--	83	82	81	--	83	86	85	--	83	72	B4GF
B5GF	--	--	--	--	79	82	81	--	79	81	81	70	B5GF
B4GR	--	82	81	82	77	82	80	84	81	79	81	70	B4GR
B5GR	--	--	77	80	72	80	--	--	80	--	77	67	B5GR

Smoking Leaf:												Smoking Leaf:	
H4L	H4F	--	--	87	--	87	--	87	--	87	--	87	83
H5F	H4K	--	--	--	87	87	87	87	87	87	87	83	H4F
H5K	H6K	--	--	--	--	86	87	87	87	87	87	87	H5F
Cutters:												H4K	
C4L	C5L	86	85	86	87	87	87	87	88	87	88	87	83
C4F	C5F	86	85	86	87	87	87	87	87	87	86	87	H5K
C4KR	C4LV	84	85	86	87	87	87	87	87	87	87	87	H6K
C4FV	C4RM	--	83	86	87	87	--	87	87	87	86	87	
Lugs:												Cutters: <th data-kind="ghost"></th>	
X3L	X4L	85	83	86	87	87	87	87	87	87	87	86	84
X5L	X3F	83	85	85	87	87	--	--	--	--	--	85	C5L
X4F	X5F	84	82	86	87	87	87	87	87	87	87	87	C4F
X4KR	X4LV	83	84	85	86	87	87	87	87	87	87	87	C5F
X3LV	X4LV	84	83	86	87	87	87	87	87	87	87	87	C4KR
X3FV	X4FV	84	83	86	87	87	--	--	--	--	--	86	C4LV
X3KM	X4KM	83	82	86	87	86	87	87	87	87	87	87	C4FV
X4GK	X4G	--	81	85	85	85	--	--	--	--	--	86	C4GV
Primings:												Lugs: <th data-kind="ghost"></th>	
P2L	P3L	84	83	86	87	87	--	87	87	87	87	86	X3L
P4L	P5L	82	80	85	87	87	87	86	--	--	--	85	X4L
P3F	P4F	83	82	86	87	87	86	--	--	--	--	85	X5L
P5F	P4G	82	80	84	87	87	87	87	87	87	87	87	X3F
P4G	P5G	80	78	84	85	85	--	--	--	--	--	86	X4F
Nondescript:												Primings: <th data-kind="ghost"></th>	
N1L	N1XL	78	80	83	85	84	81	83	81	--	81	80	82
N1K	N1GL	--	77	82	76	--	--	83	81	--	84	82	N1L
N1GF	N2	--	74	81	80	77	77	--	--	--	79	78	N1XL
1/ Averages based on auction bids for "untied" tobacco. "Tied" sales volume was insufficient to establish representative averages.												Nondescript:	
2/ For key to standard trademarks see brief of classifications on Page 2.												N1K	
												N1GL	
												N1GF	
												N2	

Table 22.-

TYPE 14 -- GEORGIA AND FLORIDA FLUE-CURED D

Average prices per 100 pounds of tobacco, by weeks, on representative grades, for the Georgia-Florida flue-cured markets.

1/

- 42 -

Group and Grade 2/ Leaf:	W E E K E N D I N G:						1971						W E E K E N D I N G:						1972						1971 Crop Average					
	July 27 1972	Aug. 3 1972	Aug. 10 1972	Aug. 17 1972	Aug. 24 1972	Aug. 31 1972	Crop Average	1972	1971	Crop Grade 2/ Leaf:	July 27 1972	Aug. 3 1972	Aug. 10 1972	Aug. 17 1972	Aug. 24 1972	Aug. 31 1972	Crop Grade 2/ Leaf:	July 27 1972	Aug. 3 1972	Aug. 10 1972	Aug. 17 1972	Aug. 24 1972	Aug. 31 1972	Crop Grade 2/ Leaf:	July 27 1972	Aug. 3 1972	Aug. 10 1972	Aug. 17 1972	Aug. 24 1972	Aug. 31 1972
B3L	85	87	88	88	88	88	83	83	H4F	--	88	88	88	88	88	88	88	88	88	88	88	88	88	88	88	88	88	88	88	84
B4L	85	87	88	88	88	87	88	82	H5F	--	87	88	88	88	88	88	88	88	88	88	88	88	88	88	88	88	88	88	83	
B5L	--	87	88	88	87	87	87	80	H6F	--	--	88	88	88	88	88	88	88	88	88	88	88	88	88	88	88	88	88	88	80
B2F	--	88	88	88	--	--	88	84	H4K	--	--	88	88	88	88	88	88	88	88	88	88	88	88	88	88	88	88	88	88	82
B3F	86	87	88	88	88	88	87	88	H5K	--	86	88	88	88	88	88	88	88	88	88	88	88	88	88	88	88	88	88	88	80
B4F	85	87	88	88	88	87	88	87	83	83	82	82	82	82	82	82	82	82	82	82	82	82	82	82	82	82	82	82	80	
B5F	85	87	88	88	87	87	86	87	82	82	82	82	82	82	82	82	82	82	82	82	82	82	82	82	82	82	82	82	80	
B6F	--	86	87	86	86	84	83	85	79	82	82	82	82	82	82	82	82	82	82	82	82	82	82	82	82	82	82	82	80	
B4FR	--	--	--	--	--	--	--	87	83	83	83	83	83	83	83	83	83	83	83	83	83	83	83	83	83	83	83	83	83	83
B5FR	--	--	--	--	--	--	--	86	85	85	85	85	85	85	85	85	85	85	85	85	85	85	85	85	85	85	85	85	85	84
B3K	--	--	--	--	--	--	--	88	88	--	87	87	87	87	87	87	87	87	87	87	87	87	87	87	87	87	87	87	87	83
B4K	--	87	88	87	87	85	85	86	86	86	86	86	86	86	86	86	86	86	86	86	86	86	86	86	86	86	86	86	82	
B5K	--	86	87	86	86	85	84	83	82	82	82	82	82	82	82	82	82	82	82	82	82	82	82	82	82	82	82	82	82	
B6K	--	87	86	87	86	85	83	82	82	82	82	82	82	82	82	82	82	82	82	82	82	82	82	82	82	82	82	82	82	
B3KR	84	87	88	88	88	87	87	86	86	86	87	87	87	87	87	87	87	87	87	87	87	87	87	87	87	87	87	87	83	
B4KR	82	86	88	88	87	86	86	86	86	86	86	86	86	86	86	86	86	86	86	86	86	86	86	86	86	86	86	86	81	
B5KR	--	85	87	86	85	87	86	85	84	84	84	84	84	84	84	84	84	84	84	84	84	84	84	84	84	84	84	84	84	
B3LV	85	87	88	88	88	87	87	88	87	87	87	87	87	87	87	87	87	87	87	87	87	87	87	87	87	87	87	87	87	
B4LV	84	87	88	88	87	88	87	86	86	86	87	87	87	87	87	87	87	87	87	87	87	87	87	87	87	87	87	87	83	
B3FV	85	87	88	88	88	88	87	87	--	87	87	87	87	87	87	87	87	87	87	87	87	87	87	87	87	87	87	87	87	82
B4FV	84	87	88	88	88	88	88	86	86	86	86	86	86	86	86	86	86	86	86	86	86	86	86	86	86	86	86	86	86	
B5FV	--	86	87	86	86	85	85	86	85	85	85	85	85	85	85	85	85	85	85	85	85	85	85	85	85	85	85	85	80	
B4KL	--	85	87	86	86	85	85	85	85	85	85	85	85	85	85	85	85	85	85	85	85	85	85	85	85	85	85	85	85	
B5KL	--	84	86	85	85	84	84	84	84	84	84	84	84	84	84	84	84	84	84	84	84	84	84	84	84	84	84	84	84	
B3KF	85	88	88	88	88	86	85	85	87	80	80	80	80	80	80	80	80	80	80	80	80	80	80	80	80	80	80	80	81	
B4KF	--	85	88	86	86	85	85	85	85	85	85	85	85	85	85	85	85	85	85	85	85	85	85	85	85	85	85	85	85	
B5KF	--	85	86	85	85	85	83	83	83	84	84	84	84	84	84	84	84	84	84	84	84	84	84	84	84	84	84	84	84	
B6KF	--	--	82	80	79	80	80	80	67	80	80	80	80	80	80	80	80	80	80	80	80	80	80	80	80	80	80	80	80	
B4KV	--	--	85	85	84	84	84	84	84	84	84	84	84	84	84	84	84	84	84	84	84	84	84	84	84	84	84	84	84	
B5KV	--	83	87	83	83	82	82	83	83	74	74	74	74	74	74	74	74	74	74	74	74	74	74	74	74	74	74	74	74	
B6KV	--	--	--	--	--	82	77	80	80	70	70	70	70	70	70	70	70	70	70	70	70	70	70	70	70	70	70	70	70	70
B3KM	84	86	88	87	86	87	86	87	87	87	87	87	87	87	87	87	87	87	87	87	87	87	87	87	87	87	87	87	87	
B4KM	83	85	87	86	86	85	86	86	86	86	86	86	86	86	86	86	86	86	86	86	86	86	86	86	86	86	86	86	85	
B5KM	78	83	86	85	85	83	84	84	84	83	83	83	83	83	83	83	83	83	83	83	83	83	83	83	83	83	83	83	80	
B6KM	--	78	--	82	80	82	81	81	80	79	79	79	79	79	79	79	79	79	79	79	79	79	79	79	79	79	79	79	79	
B4GF	--	83	87	85	85	83	84	84	84	77	78	76	77	76	77	76	77	76	77	76	77	76	77	76	77	76	77	76	77	
B5GF	--	83	86	85	85	81	82	83	82	83	82	83	82	83	82	83	82	83	82	83	82	83	82	83	82	83	82	83	82	
B6GF	--	--	--	84	84	82	80	82	82	74	74	74	74	74	74	74	74	74	74	74	74	74	74	74	74	74	74	74	74	
B4GK	83	83	84	84	82	80	80	80	81	81	81	81	81	81	81	81	81	81	81	81	81	81	81	81	81	81	81	81	81	
B5GK	--	80	84	84	80	79	79	79	81	80	79	79	79	79	79	79	79	79	79	79	79	79	79	79	79	79	79	79	79	
B6GK	--	76	--	77	77	78	78	78	76	77	76	77	76	77	76	77	76	77	76	77	76	77	76	77	76	77	76	77	76	

^{1/} Averages based on auction bids for "untied" tobacco. "Tied" sales volume was insufficient to establish representative averages.

2/ For key to standard trademarks see brief of classifications on Page 2.

Table 23.- Dates of designation by the Secretary of Agriculture for official inspection and market news on flue-cured markets, and year service began. 1/

Type Market, and State	Designated	Year Service began	Type Market, and State	Designated	Year Service began
<u>Type 11(a)</u>			<u>Type 13</u>		
Virginia:			South Carolina:		
Brookneal	June 26, 1942	1946	Coway	June 26, 1942	1944
Chase City	"	"	Darlington	July 1, 1936	1939
Clarksville	"	"	Dillon	Aug. 16, 1941	1941
Danville	Aug. 16, 1941	1941	Hemingway	June 16, 1950	1950
Kenbridge	June 26, 1942	1942	Kingtree	June 26, 1942	1944
Lawrenceville	"	1946	Lake City	July 1, 1936	1939
Martinsville	"	1942	Lamar	May 28, 1951	1951
Petersburg	"	1946	Loris	Aug. 16, 1941	1941
Rocky Mount 2/	"	"	Mullins	June 26, 1942	1942
South Boston	"	1945	Pamplico	July 1, 1936	1939
South Hill	Aug. 23, 1938	1938	Timmonsville	Aug. 16, 1941	1941
North Carolina:			North Carolina:		
Burlington	June 26, 1942	1946	Chadbourn	June 26, 1942	1946
Greensboro	June 16, 1950	1950	Clarkton	"	"
Madison	June 26, 1942	1946	Fair Bluff	"	"
Mebane	"	1942	Fairmont	"	1945
Mt. Airy	"	1946	Fayetteville	June 17, 1947	1947
Reidsville	Aug. 26, 1941	1941	Lumberton	June 26, 1942	1946
Roxboro	June 26, 1942	1942	Tabor City	"	"
Stoneville	"	1946	Whiteville	"	"
Winston-Salem	"	1942			
Yadkinville	April 10, 1970	1970			
<u>Type 11(b)</u>			<u>Type 14</u>		
North Carolina:			Georgia:		
Aberdeen	June 26, 1942	1946	Adel	June 22, 1939	1939
Carthage	"	"	Alma	May 10, 1955	1955
Durham	"	1944	Baxley	June 26, 1942	1942
Ellerbe	Aug. 25, 1949	1949	Blackshear	"	1945
Fuquay-Varina	Aug. 16, 1941	1941	Claxton	July 30, 1948	1948
Henderson	June 26, 1942	1945	Douglas	June 22, 1939	1939
Louisburg	"	1946	Fitzgerald	July 22, 1946	1946
Oxford	Aug. 26, 1936	1936	Hahira	Aug. 16, 1941	1941
Sanford	June 26, 1942	1946	Hazlehurst	June 26, 1942	1942
Warrenton	"	"	Metter	Aug. 16, 1941	1941
			Moultrie	June 26, 1942	1944
<u>Type 12</u>			Nashville	June 22, 1939	1939
North Carolina:			Pearson	May 10, 1955	1955
Ahoskie	June 26, 1942	1942	Pelham	June 26, 1942	1942
Clinton	Aug. 9, 1946	1946	Quitman	Aug. 28, 1945	1945
Dunn	July 15, 1949	1949	Statesboro	Aug. 16, 1941	1941
Farmville	July 13, 1936	1936	Swainsboro	June 29, 1956	1956
Goldsboro	"	"	Sylvester	June 16, 1950	1950
Greenville	July 24, 1939	1939	Thomasville	June 29, 1956	1956
Kinston	June 26, 1942	1946	Tifton	June 26, 1942	1942
Robersonville	Aug. 16, 1941	1941	Valdosta	June 21, 1940	1940
Rocky Mount	June 26, 1942	1945	Vidalia	June 26, 1942	1942
Smithfield	"	1944	Waycross	"	"
Tarboro	Aug. 16, 1941	1941			
Wallace	June 26, 1942	1946	<u>Florida:</u>		
Washington	"	1944	High Springs	May 26, 1954	1954
Wendell	Sept. 14, 1937	1937	Jasper	May 27, 1948	1948
Williamston	Aug. 16, 1941	1941	Lake City	June 26, 1942	1945
Wilson	June 26, 1942	1942	Live Oak	June 21, 1940	1940
Windsor	June 16, 1950	1950	Madison	June 29, 1956	1956

1/ By authority of The Tobacco Inspection Act, approved August 23, 1935.

2/ Discontinued after the 1962 season.

Table 24.- Percentage distribution by GROUPS for flue-cured types, 1966 to 1972 crops.

Crop Year	A Wrappers (Percent)	B Leaf (Percent)	H S. Leaf (Percent)	C Cutters (Percent)	X Lugs (Percent)	P Primings (Percent)	N Nondescript (Percent)	Misc. (Percent)
T Y P E 1 1 (a)								
1966	1/	53.5	12.3	2.6	15.3	5.6	8.7	2.0
1967	1/	61.5	10.1	3.3	13.3	5.9	4.5	1.4
1968	1/	49.3	7.7	2.6	19.0	12.7	7.3	1.4
1969	1/	54.4	10.8	3.3	14.2	9.3	6.3	1.7
1970	1/	46.3	14.9	2.9	14.6	8.8	10.5	2.0
1971	1/	51.2	14.5	3.6	13.6	11.1	3.1	2.9
1972	1/	58.7	2.6	7.8	16.0	12.1	1.7	1.1
1973								
1974								
1975								
T Y P E 1 1 (b)								
1966	--	47.9	19.7	3.7	13.5	5.4	8.3	1.5
1967	1/	50.0	15.9	3.6	18.1	5.7	4.4	2.3
1968	1/	46.4	12.2	5.5	18.3	7.4	8.5	1.7
1969	1/	43.6	23.7	4.4	14.9	6.2	4.5	2.7
1970	--	48.9	17.0	2.3	16.5	6.0	7.3	2.0
1971	--	47.2	18.9	4.2	16.0	8.0	2.8	2.9
1972	--	58.5	4.3	10.1	14.4	9.7	1.7	1.3
1973								
1974								
1975								
T Y P E 1 2								
1966	1/	51.9	10.8	4.3	11.4	6.8	12.7	2.1
1967	1/	51.6	10.0	4.2	15.8	5.9	9.9	2.6
1968	1/	51.7	7.9	7.0	12.8	5.8	12.9	1.9
1969	--	50.0	9.8	5.7	14.6	6.9	9.7	3.3
1970	1/	58.7	6.1	4.5	14.2	8.1	6.6	1.8
1971	1/	59.1	7.1	6.2	13.0	8.2	3.9	2.5
1972	1/	59.0	5.3	9.7	11.2	10.5	2.3	2.0
1973								
1974								
1975								
T Y P E 1 3								
1966	1/	48.8	11.2	3.9	12.5	12.6	9.3	1.7
1967	--	48.2	6.8	4.4	17.1	12.3	9.3	1.9
1968	--	45.3	7.5	5.2	15.8	14.2	10.4	1.6
1969	--	49.2	6.2	5.4	14.2	13.8	7.2	4.0
1970	--	53.5	3.0	3.7	13.0	17.7	6.2	2.9
1971	--	51.5	3.1	6.5	15.6	14.0	5.0	4.3
1972	--	54.9	1.5	12.1	13.0	15.1	1.9	1.5
1973								
1974								
1975								
T Y P E 1 4								
1966	--	54.1	4.7	3.0	13.8	15.2	7.7	1.5
1967	--	52.6	4.2	3.0	14.9	11.9	10.8	2.6
1968	--	50.8	5.2	3.2	14.1	14.5	10.7	1.5
1969	--	51.5	3.6	3.8	15.4	15.7	8.4	1.6
1970	--	48.4	3.9	4.2	17.3	18.2	5.6	2.4
1971	--	53.1	3.1	2.3	13.6	16.6	6.4	4.9
1972	1/	53.7	1.4	6.8	15.3	18.0	3.1	1.7
1973								
1974								
1975								

1/ Volume insufficient to quote percentage.

Table 24.- Percentage distribution by QUALITIES for flue-cured types, 1966 to 1972 crops.

Crop Year	1 Choice (Percent)	2 Fine (Percent)	3 Good (Percent)	4 Fair (Percent)	5 Low (Percent)	6 Poor (Percent)	Nondescript (Percent)	Misc. (Percent)
T Y P E 1 1 (a)								
1966	--	.2	4.2	35.7	37.8	11.4	8.7	2.0
1967	--	.4	5.5	38.5	39.2	10.5	4.5	1.4
1968	.1	.7	5.9	34.8	39.2	10.6	7.3	1.4
1969	.2	.9	7.0	38.0	38.8	7.1	6.3	1.7
1970	.1	.5	5.1	34.2	38.4	9.2	10.5	2.0
1971	1/	.5	8.7	41.9	37.3	5.6	3.1	2.9
1972	.1	1.2	19.6	51.0	23.2	2.1	1.7	1.1
1973								
1974								
1975								
T Y P E 1 1 (b)								
1966	--	.2	3.7	35.4	38.9	12.0	8.3	1.5
1967	--	.2	4.7	38.3	40.6	9.5	4.4	2.3
1968	--	.1	3.6	32.8	40.9	12.4	8.5	1.7
1969	--	.2	5.2	40.8	40.4	6.2	4.5	2.7
1970	1/	.1	3.8	36.8	41.1	8.9	7.3	2.0
1971	1/	.2	5.9	43.3	39.3	5.6	2.8	2.9
1972	.1	.6	15.4	53.6	25.6	1.7	1.7	1.3
1973								
1974								
1975								
T Y P E 1 2								
1966	--	.4	6.1	34.0	33.6	11.1	12.7	2.1
1967	--	.3	4.7	35.9	37.6	9.0	9.9	2.6
1968	.1	.6	6.7	31.9	34.9	11.0	12.9	1.9
1969	--	.4	5.5	34.9	39.0	7.2	9.7	3.3
1970	1/	.3	8.6	43.3	33.6	5.8	6.6	1.8
1971	1/	.3	8.5	48.5	33.1	3.2	3.9	2.5
1972	.2	1.3	24.1	50.8	18.4	.9	2.3	2.0
1973								
1974								
1975								
T Y P E 1 3								
1966	--	.4	8.3	39.2	33.4	7.7	9.3	1.7
1967	--	.1	5.9	39.9	34.4	8.5	9.3	1.9
1968	--	.3	5.3	36.5	37.0	8.9	10.4	1.6
1969	--	.2	6.8	39.5	37.3	5.0	7.2	4.0
1970	--	.2	7.0	42.4	36.8	4.5	6.2	2.9
1971	--	.1	10.5	48.1	29.8	2.2	5.0	4.3
1972	1/	1.2	23.0	50.1	21.8	.5	1.9	1.5
1973								
1974								
1975								
T Y P E 1 4								
1966	--	.3	10.2	39.5	31.9	8.9	7.7	1.5
1967	--	.1	6.1	35.7	36.0	8.7	10.8	2.6
1968	--	.2	7.7	38.1	34.2	7.6	10.7	1.5
1969	--	.3	9.2	37.1	34.6	8.8	8.4	1.6
1970	1/	.3	12.3	44.0	31.7	3.7	5.6	2.4
1971	1/	.2	13.4	45.6	25.9	3.6	6.4	4.9
1972	1/	.5	21.6	48.6	22.8	1.7	3.1	1.7
1973								
1974								
1975								

1/ Volume insufficient to quote percentages.

Table 24.- Percentage distribution by COLORS for flue-cured types, 1966 to 1972 crops.

Crop Year	L (Percent)	F (Percent)	FR (Percent)	R (Percent)	D (Percent)	K (Percent)	K(sf) (Percent)	S (Percent)	G (Percent)	Nond. (Percent)	Misc. (Percent)
T Y P E 1 1 (a)											
1966	7.7	17.9	4.0	1.8	1/	30.5	24.3	1/	3.1	8.7	2.0
1967	14.2	17.4	5.4	1.2	1/	32.3	21.8	.1	1.7	4.5	1.4
1968	17.9	26.9	3.0	.5	--	20.6	19.6	1/	2.8	7.3	1.4
1969	15.2	32.7	5.2	.2	--	28.6	8.6	1/	1.5	6.3	1.7
1970	5.7	31.9	2.9	.2	--	34.4	10.9	.1	1.4	10.5	2.0
1971	9.6	34.6	7.4	.8	--	33.1	7.8	.1	.6	3.1	2.9
1972	17.6	42.3	2.2	.1	--	14.8	17.7	.6	1.9	1.7	1.1
1973											
1974											
1975											
T Y P E 1 1 (b)											
1966	9.5	21.0	5.5	2.2	.1	34.9	14.3	.1	2.6	8.3	1.5
1967	16.7	21.5	3.4	.6	1/	34.4	15.0	.1	1.6	4.4	2.3
1968	15.8	23.3	1.1	.3	--	33.7	13.3	1/	2.3	8.5	1.7
1969	13.3	36.1	5.3	.1	--	33.7	3.5	1/	.8	4.5	2.7
1970	4.3	30.0	1.8	.2	--	41.1	12.1	.1	1.1	7.3	2.0
1971	7.7	37.4	4.7	.4	--	33.4	9.9	.1	.7	2.8	2.9
1972	10.8	42.0	1.8	.1	--	18.5	22.0	.3	1.5	1.7	1.3
1973											
1974											
1975											
T Y P E 1 2											
1966	13.1	26.3	1.1	.8	--	26.7	14.9	.2	2.1	12.7	2.1
1967	14.0	23.3	.8	.1	--	31.3	15.9	.2	1.9	9.9	2.6
1968	17.1	29.4	.8	.2	--	27.4	8.6	1/	1.7	12.9	1.9
1969	20.5	34.1	1.6	.1	--	21.5	7.6	1/	1.6	9.7	3.3
1970	10.8	31.0	1.9	.1	--	28.5	17.5	.3	1.5	6.6	1.8
1971	11.2	37.0	3.0	.1	--	26.1	14.8	.2	1.2	3.9	2.5
1972	10.1	47.6	3.3	.1	--	18.2	15.4	.1	.9	2.3	2.0
1973											
1974											
1975											
T Y P E 1 3											
1966	20.1	38.2	2.7	.2	--	19.0	6.4	.1	2.3	9.3	1.7
1967	20.8	27.4	1.0	.2	--	22.4	14.3	.1	2.6	9.3	1.9
1968	24.8	30.0	.7	.2	--	19.9	10.1	1/	2.3	10.4	1.6
1969	29.8	35.3	1.3	1/	.	14.1	6.1	1/	2.2	7.2	4.0
1970	19.3	34.5	1.3	.1	--	16.5	15.0	.1	4.1	6.2	2.9
1971	16.4	37.2	.4	1/	--	14.2	19.2	.4	2.9	5.0	4.3
1972	21.6	53.0	.8	1/	--	8.0	11.7	.2	1.3	1.9	1.5
1973											
1974											
1975											
T Y P E 1 4											
1966	26.6	38.9	.5	1/	--	10.0	11.7	.3	2.8	7.7	1.5
1967	17.2	26.0	.2	1/	--	15.8	22.8	.2	4.4	10.8	2.6
1968	23.4	34.4	.4	1/	--	18.1	8.5	.2	2.8	10.7	1.5
1969	28.6	36.8	.4	1/	--	14.9	6.4	.2	2.7	8.4	1.6
1970	28.9	38.4	.6	1/	--	10.4	10.2	.4	3.1	5.6	2.4
1971	15.2	35.9	.6	1/	--	15.8	17.1	.5	3.6	6.4	4.9
1972	19.1	47.0	.3	1/	--	9.8	16.3	.1	2.6	3.1	1.7
1973											
1974											
1975											

1/ Volume insufficient to quote percentage.

Table 24.- Percentage distribution by GROUPS, QUALITIES, and COLORS for flue-cured Types 11-14, 1966 to 1972 crops.

G R O U P								
Crop Year	A Wrappers (Percent)	B Leaf (Percent)	H S. Leaf (Percent)	C Cutters (Percent)	X Lugs (Percent)	P Primings (Percent)	N Nondescript (Percent)	Misc. (Percent)
1966	1/	51.2	12.4	3.6	13.2	8.2	9.6	1.8
1967	1/	52.7	9.4	3.8	15.8	8.3	7.9	2.1
1968	1/	48.9	7.8	4.9	15.5	10.8	10.4	1.7
1969	1/	50.3	9.7	4.7	14.6	10.3	7.6	2.8
1970	1/	52.4	7.8	3.7	14.8	12.0	7.1	2.2
1971	1/	53.5	8.2	4.9	14.2	11.5	4.3	3.4
1972	1/	57.1	3.2	9.5	13.5	13.0	2.1	1.6
1973								
1974								
1975								

Q U A L I T Y								
Crop Year	1 Choice (Percent)	2 Fine (Percent)	3 Good (Percent)	4 Fair (Percent)	5 Low (Percent)	6 Poor (Percent)	Nondescript (Percent)	Misc. (Percent)
1966	--	.3	6.0	36.3	35.5	10.5	9.6	1.8
1967	--	.2	5.4	37.7	37.5	9.2	7.9	2.1
1968	--	.4	6.0	34.6	36.9	10.0	10.4	1.7
1969	1/	.5	6.8	37.5	38.1	6.7	7.6	2.8
1970	1/	.3	7.7	40.8	35.8	6.1	7.1	2.2
1971	1/	.3	9.6	46.1	32.6	3.7	4.3	3.4
1972	.1	1.1	21.7	50.6	21.6	1.2	2.1	1.6
1973								
1974								
1975								

C O L O R											
Crop Year	L	F	FR	R	D	K	K(sf)	S	G	Nond.	Misc.
	(Percent)										
1966	13.9	26.7	2.9	1.1	1/	26.1	15.2	.1	2.6	9.6	1.8
1967	16.6	23.2	2.1	.4	1/	27.4	17.8	.1	2.4	7.9	2.1
1968	18.9	27.2	1.2	.2	--	26.6	11.5	1/	2.3	10.4	1.7
1969	22.0	34.7	2.5	.1	--	21.6	6.9	1/	1.8	7.6	2.8
1970	14.2	33.2	1.7	.1	--	25.1	13.9	.2	2.3	7.1	2.2
1971	12.4	36.4	3.0	.2	--	23.7	14.4	.3	1.9	4.3	3.4
1972	15.8	47.2	1.9	1/	--	13.8	15.8	.3	1.5	2.1	1.6
1973											
1974											
1975											

C O L O R K E Y

- L - Lemon
- F - Orange
- FR - Orange Red
- R - Red
- D - Walnut (discontinued after 1967)
- K - Variegated (K and KR)
- K(sf) - Variegated (KL,KF,KV, and KM)
- S - Slick
- G - Green
- Nond. - Nondescript
- Misc. - No grade, W, U, etc.

1/ Volume insufficient to quote percentage.

Table 25.- Percentage distribution by grades for flue-cured tobacco, Types 11-14, 1972 crop.

Group and Grade	1 9 7 2 C R O P					Group and Grade	1 9 7 2 C R O P				
	11(a)	11(b)	12	13	14		11(a)	11(b)	12	13	14
	(Percent)	(Percent)	(Percent)	(Percent)	(Percent)		(Percent)	(Percent)	(Percent)	(Percent)	(Percent)
Wrappers:											
A1F	.003	--	.004	--	--	B3KM	1.628	2.242	2.724	3.121	2.957
A2F	.001	--	--	--	.001	B4KM	3.440	5.634	3.977	3.999	4.953
Total A	.004	--	.004	--	.001	B5KM	.660	.776	.935	.459	1.666
						B6KM	.059	.049	.087	.028	.140
Leaf:						B5RR	.011	.013	--	.002	--
B1L	.011	.001	.030	.010	.003	B4GL	.068	.019	.022	.072	.058
B2L	.075	.018	.073	.297	.096	B5CL	.029	.016	.003	.016	.040
B3L	.975	.428	.855	2.044	1.339	B6GL	--	.002	.001	.002	.012
B4L	1.873	.992	.903	1.587	2.200	B4GF	.219	.099	.092	.106	.146
B5L	.395	.174	.193	.189	.494	B5GF	.204	.131	.071	.088	.181
B6L	.009	.008	.001	.005	.020	B6GF	.047	.013	.009	.009	.098
B1F	.012	.012	.043	.011	.007	B4GR	.025	.009	.002	.001	.004
B2F	.270	.093	.480	.503	.174	B5GR	.029	.009	.007	.003	.001
B3F	2.580	2.089	6.740	7.558	6.236	B6GR	.022	.028	.001	.001	--
B4F	8.957	9.562	12.297	14.514	11.371	B4GK	.346	.366	.286	.262	.460
B5F	4.445	4.932	3.354	5.884	4.564	B5GK	.436	.308	.140	.111	.370
B6F	.102	.145	.100	.174	.403	B6GK	.196	.075	.023	.019	.108
B1FR	.011	--	.012	--	--	B5RG	.003	--	--	.001	--
B2FR	.044	.005	.056	.001	--	B4GG	.018	.022	.005	.010	.012
B3FR	.349	.128	.720	.044	.009	B5GG	.056	.110	.011	.003	.013
B4FR	1.167	1.077	1.763	.413	.125	Total B	58.674	58.489	59.060	54.876	53.724
B5FR	.518	.510	.497	.247	.122						
B6FR	.040	.007	.006	.006	--						
B3R	--	--	--	.001	--						
B4R	.012	.014	.004	.009	.006	H1L	--	--	--	--	--
B5R	.038	.057	.032	.014	.003	H2L	--	--	.007	--	--
B6R	.017	.017	.015	.002	.002	H3L	.008	.008	.038	.016	.013
B3K	.998	.778	1.215	.523	.071	H4L	.039	.103	.156	.070	.055
B4K	6.419	8.477	4.553	2.867	1.666	H5L	.033	.046	.126	.034	.080
B5K	3.627	3.517	1.939	1.250	1.845	H6L	--	.001	.001	.001	--
B6K	.650	.557	.343	.130	.403	H1F	--	--	--	--	--
B3KR	.239	.300	2.196	.749	1.136	H2F	.002	.005	.039	--	.001
B4KR	.758	1.205	3.201	1.068	1.980	H3F	.034	.086	.378	.042	.072
B5KR	.152	.167	.606	.135	.431	H4F	.373	.688	1.330	.346	.315
B3LV	.288	.121	.138	.341	.324	H5F	.546	.854	.763	.371	.245
B4LV	.710	.271	.220	.370	.537	H6F	.006	.046	.026	.012	.044
B5LV	.134	.044	.018	.042	.097	H3FR	--	.004	.020	--	--
B3FV	.605	.375	.741	.927	.629	H4FR	.011	.049	.134	.027	.001
B4FV	2.761	1.577	1.435	2.051	1.405	H5FR	.058	.052	.099	.022	.006
B5FV	1.007	.607	.259	.503	.558	H6FR	.012	.005	--	--	--
B3LS	.037	.055	.004	.020	.018	H1K	.442	.778	1.109	.183	.136
B4LS	.077	.028	.018	.037	.035	H2K	.815	1.237	.857	.281	.294
B5LS	.012	.010	.061	--	.006	H3K	.255	.328	.204	.680	.106
B6LS	--	--	--	--	--	H4K	.264	.387	1.490	1.368	
B3FS	.133	.055	.031	.030	.002	Total H	2.634	4.290	5.187	1.490	1.368
B4FS	.303	.101	.020	.038	.007						
B5FS	.027	.002	.067	.006	.001	Cutters:					
B6FS	.005	--	--	--	--	C1L	--	--	.008	--	.006
B3KL	.271	.145	.242	.073	.139	C2L	.005	.010	.005	.014	.010
B4KL	.829	.497	.562	.141	.426	C3L	.207	.077	.147	.036	.022
B5KL	.242	.129	.145	.031	.227	C4L	1.135	.716	1.047	1.639	.537
B6KL	.019	.067	.003	.001	.019	C2F	.003	.004	--	.006	--
B3KF	1.089	.960	.849	.261	.284	C3F	.241	.050	.194	.092	.047
B4KF	4.531	5.188	2.717	1.004	1.346	C4F	1.334	.004	1.931	1.619	.819
B5KF	2.172	2.327	.675	.241	1.038	C5F	2.389	3.721	2.657	3.569	1.915
B6KF	.516	.345	.042	.025	.236	C4KR	.269	.797	1.361	.540	.911
B3KV	.266	.159	.184	.090	.127	C4LV	.233	.204	.188	.352	.147
B4KV	.270	.240	.164	.082	.135	C4FV	.323	.172	.223	.309	.108
B5KV	.132	.055	.022	.005	.103	C4LS	.002	.028	.015	.014	.024

Continued -

Table 25.- Percentage distribution by grades for flue-cured tobacco, Types 11-14, 1972 crop.

Group and Grade	1 9 7 2 C R O P					Group and Grade	1 9 7 2 C R O P				
	11(a)	11(b)	12	13	14		11(a)	11(b)	12	13	14
	(Percent)	(Percent)	(Percent)	(Percent)	(Percent)		(Percent)	(Percent)	(Percent)	(Percent)	(Percent)
C5LS	.005	.007	.003	--	--	Primings:					
C4KL	.120	.049	.098	.045	.038	P2L	.175	.071	.090	.204	.138
C4KF	.040	.030	.053	.019	.001	P3L	1.724	.805	1.110	1.987	1.839
C4KM	.542	1.613	.937	1.076	.891	P4L	2.572	1.511	1.282	3.925	3.841
Total C	7.772	10.104	9.672	12.131	6.821	PSL	.631	.355	.312	.972	1.457
Lugs:						P2F	.029	.015	.051	.023	.020
X1L	.043	.042	.047	.002	--	P3F	.965	.975	1.487	.686	1.010
X2L	.367	.196	.211	.120	.036	P4F	3.606	3.518	3.681	3.806	5.004
X3L	2.880	1.501	1.043	1.555	1.787	P5F	2.300	2.386	2.348	3.111	3.987
X4L	1.381	1.003	.689	2.152	1.891	P4G	.059	.052	.071	.258	.530
X5L	.071	.119	.178	.189	.181	P5G	.047	.035	.043	.146	.201
X1F	.023	.017	.055	.003	--	Total P	12.108	9.723	10.475	15.118	18.027
X2F	.280	.206	.278	.062	.027						
X3F	3.361	2.777	2.326	1.537	2.155	Nondescript:					
X4F	4.168	4.341	2.815	3.653	4.004	N1L	.760	.930	1.011	1.114	1.683
X5F	.797	1.109	1.132	1.012	1.167	N1XL	.061	.125	.328	.132	.228
X4KR	.202	.333	.570	.222	.845	N1K	.178	.141	.261	.065	.137
X3LV	.380	.227	.155	.375	.386	N1R	.036	.021	.022	.011	.022
X4LV	.114	.101	.056	.192	.220	N1GL	.024	.041	.031	.094	.158
X3FV	.471	.369	.205	.287	.262	N1GF	.087	.034	.041	.036	.086
X4FV	.488	.311	.197	.352	.470	N1GR	.084	.044	.009	.001	.015
X3LS	.014	.015	.026	.014	.045	N1GG	.035	.022	--	.005	.001
X4LS	.010	.004	.002	--	--	N2	.415	.350	.658	.376	.730
X3FS	.001	.010	.003	--	--	Total N	1.689	1.708	2.361	1.834	3.060
X4FS	.002	--	.001	--	--						
X4KL	.144	.130	.051	.019	.059	No Grade	.601	.672	1.175	.933	.749
X4KF	.063	.106	.048	.038	.018	W-Unsafe	.075	.063	.065	.219	.133
X4KV	.051	.052	.057	.046	.076	U-Unsound	.435	.544	.729	.386	.851
X3KM	.240	.786	.517	.573	.750						
X4KM	.345	.469	.387	.426	.557						
X4GK	.050	.097	.044	.059	.135						
X4G	.058	.067	.056	.104	.138						
X5G	.013	.019	.023	.021	.057						
Total X	16.017	14.407	11.172	13.013	15.266	Grand Total	100.000	100.000	100.000	100.000	100.000

Table 25(a).- Breakdown of marketings by selected groupings for the 1972 crop.

GROUPINGS	TYPES					
	11(a)	11(b)	12	13	14	11-14
	(Percent)	(Percent)	(Percent)	(Percent)	(Percent)	(Percent)
Straight Grades (mature to mellow)	77.0	73.2	79.2	83.4	76.2	78.7
Variegated (KL,KF,KV,KM)	17.7	22.0	15.4	11.8	16.3	15.8
Slick (S grades)	.6	.3	.1	.2	.3	.3
Green (includes rank)	1.9	1.5	.9	1.3	2.6	1.5
Nondescript	1.7	1.7	2.4	1.8	3.1	2.1
No Grade 1/	1.1	1.3	2.0	1.5	1.7	1.6
TOTAL	100.0	100.0	100.0	100.0	100.0	100.0

1/ Includes tobacco defined as decayed, botched, off-type, and nested; also unsafe keeping order and unsound.

Table 26.- Percentage distribution by grades for all flue-cured, annual, 1970-1972 crops, and average for the three-year period.

Group and Grade	C R O P O F:				Group and Grade	C R O P O F:			
	1970 1/	1971 1/	1972	Average 1970-72		1970 1/	1971 1/	1972	Average 1970-72
Wrappers:	(Percent)	(Percent)	(Percent)	(Percent)	(Percent)	(Percent)	(Percent)	(Percent)	(Percent)
A1F	.001	--	.002	.001	B3KL	.138	.218	.181	.179
A2F	.002	.002	--	.001	B4KL	.477	.588	.466	.510
Total AF	.003	.002	.002	.002	B5KL	.252	.206	.149	.202
Total A	.003	.002	.002	.002	B6KL	.033	.015	.008	.019
Leaf:					Total BKL	.900	1.027	.804	.910
B1L	.002	.002	.014	.006	B3KF	.181	.258	.678	.372
B2L	.043	.031	.125	.066	B4KF	1.594	1.645	2.697	1.979
B3L	.703	.549	1.193	.815	B5KF	1.680	.987	1.088	1.252
B4L	1.625	1.236	1.465	1.442	B6KF	.491	.151	.191	.278
B5L	.517	.329	.277	.374	Total BKF	3.946	3.041	4.654	3.881
B6L	.024	.012	.007	.015	B4KV	.364	.261	.166	.264
Total BL	2.914	2.159	3.081	2.718	B5KV	.721	.352	.184	.419
B1F	.019	.009	.021	.016	B6KV	.347	.100	.055	.167
B2F	.094	.096	.357	.182	Total BKV	1.432	.713	.405	.850
B3F	1.410	1.841	5.575	2.942	B3KM	.821	1.567	2.595	1.661
B4F	5.878	6.942	11.755	8.192	B4KM	3.100	4.203	4.205	3.836
B5F	4.980	5.196	4.520	4.899	B5KM	1.456	1.405	.868	1.243
B6F	.493	.342	.170	.335	B6KM	.177	.142	.072	.130
Total BF	12.874	14.426	22.398	16.566	Total BKM	5.554	7.317	7.740	6.870
B1FR	.003	.002	.006	.004	B5RR	.035	.003	.004	.014
B2FR	.022	.017	.026	.022	B4GL	.054	.048	.048	.050
B3FR	.119	.197	.315	.210	B5GL	.042	.030	.018	.030
B4FR	.709	1.203	.998	.970	B6GL	.006	.003	.003	.004
B5FR	.624	.966	.384	.658	Total BGL	.102	.081	.069	.084
B6FR	.049	.045	.012	.035	B4GF	.097	.109	.129	.112
Total BFR	1.526	2.430	1.741	1.899	B5GF	.212	.138	.124	.158
B3R	--	.001	--	--	B6GF	.070	.028	.031	.043
B4R	.004	.014	.008	.009	Total BGF	.379	.275	.284	.313
B5R	.023	.123	.027	.058	B4GR	.004	.003	.007	.005
B6R	.038	.091	.010	.046	B5GR	.014	.005	.009	.009
Total BR	.065	.229	.045	.113	B6GR	.009	.002	.008	.006
B3K	.490	.557	.783	.610	Total BGR	.027	.010	.024	.020
B4K	5.260	6.451	4.462	5.391	B4GK	.282	.348	.328	.319
B5K	6.519	5.476	2.247	4.747	B5GK	.437	.313	.243	.331
B6K	2.381	1.325	.383	1.363	B6GK	.147	.058	.074	.093
Total BK	14.650	13.809	7.875	12.111	Total BGK	.866	.719	.645	.743
B3KR	.551	.558	1.113	.741	B5RG	.009	.001	.001	.004
B4KR	2.045	1.951	1.825	1.940	B4GG	.008	.004	.012	.008
B5KR	.880	.696	.334	.637	B5GG	.039	.021	.028	.030
Total BKR	3.476	3.205	3.272	3.318	Total BGG	.047	.025	.040	.038
B3LV	.236	.230	.242	.236	Total B	52.364	53.479	57.089	54.311
B4LV	.552	.562	.405	.506					
B5LV	.166	.127	.061	.118					
Total BLV	.954	.919	.708	.860					
B3FV	.193	.370	.703	.422	Smoking Leaf:				
B4FV	1.322	1.722	1.846	1.630	H1L	--	--	--	--
B5FV	.978	.807	.544	.776	H2L	--	.001	.002	.001
Total BFV	2.493	2.899	3.093	2.828	H3L	.008	.005	.020	.011
B3LS	.032	.071	.022	.042	H4L	.063	.052	.092	.069
B4LS	.037	.049	.038	.041	H5L	.105	.084	.070	.086
B5LS	.011	.008	.004	.008	H6L	.002	.003	.001	.002
B6LS	--	--	--	--	Total HL	.178	.145	.185	.169
Total BLS	.080	.128	.064	.091	H1F	--	--	--	--
B3FS	.009	.025	.048	.027	H2F	--	.002	.013	.005
B4FS	.019	.032	.084	.045	H3F	.038	.032	.153	.074
B5FS	.007	.006	.009	.008	H4F	.442	.434	.685	.521
B6FS	--	--	.001	--	H5F	1.076	1.264	.556	.965
Total BFS	.035	.063	.142	.080	H6F	.138	.132	.024	.098
					Total HF	1.694	1.864	1.431	1.663

Continued -

Table 26.- Percentage distribution by grades for all flue-cured, annual, 1970-1972 crops, and average for the three-year period.

Group and Grade	C R O P O F:				Group and Grade	C R O P O F:			
	1970 1/	1971 1/	1972	Average 1970-72		1970 1/	1971 1/	1972	Average 1970-72
	(Percent)	(Percent)	(Percent)	(Percent)		(Percent)	(Percent)	(Percent)	(Percent)
H3FR	.001	.001	.007	.003	X3FV	.114	.178	.301	.198
H4FR	.051	.103	.055	.070	X4FV	.661	.757	.345	.587
H5FR	.114	.406	.054	.191	Total XFV	.775	.935	.646	.785
H6FR	.026	.082	.003	.037	X3LS	.024	.033	.023	.027
Total HFR	.192	.592	.119	.301	X4LS	.009	.009	.003	.007
H4K	1.122	1.312	.574	1.003	Total XLS	.033	.042	.026	.034
H5K	2.947	3.054	.663	2.221	X3FS	.002	.005	.002	.003
H6K	1.671	1.213	.182	1.022	X4FS	.002	.001	--	.001
Total HK	5.740	5.579	1.419	4.246	Total XFS	.004	.006	.002	.004
Total H	7.804	8.180	3.154	6.379	X4KL	.144	.188	.071	.134
Cutters:					X4KF	.246	.143	.050	.146
C1L	--	.002	.003	.002	X4KV	.354	.145	.056	.185
C2L	.004	.008	.009	.007	X3KM	.253	.285	.542	.360
C3L	.014	.021	.119	.051	X4KM	.588	.788	.424	.600
C4L	.223	.325	1.125	.557	Total XKM	.841	1.073	.966	.960
C5L	1.065	1.183	1.477	1.242	X4GK	.120	.132	.069	.107
Total CL	1.306	1.539	2.733	1.859	X4G	.154	.137	.082	.124
C1F	.001	--	.002	.001	X5G	.089	.061	.026	.059
C2F	.003	.003	.002	.003	Total XG	.243	.198	.108	.183
C3F	.020	.020	.122	.054	Total X	14.758	14.172	13.520	14.150
C4F	.169	.217	1.465	.617	Primings:				
C5F	1.108	1.657	2.824	1.863	P2L	.042	.043	.139	.075
Total CF	1.301	1.897	4.415	2.538	P3L	.684	.677	1.520	.960
C4KR	.437	.422	.829	.563	P4L	2.486	2.330	2.585	2.467
C4LV	.151	.182	.231	.188	P5L	1.696	1.186	.715	1.199
C4FV	.058	.115	.196	.123	Total PL	4.908	4.236	4.959	4.701
C4LS	.030	.033	.017	.026	P2F	.011	.011	.032	.018
C5LS	.003	.002	.003	.003	P3F	.237	.393	1.068	.566
Total CLS	.033	.035	.020	.029	P4F	2.371	2.965	3.888	3.075
C4KL	.089	.112	.075	.092	P5F	3.879	3.491	2.783	3.384
C4KF	.027	.012	.032	.024	Total PF	6.498	6.860	7.771	7.043
C4KM	.336	.582	.958	.625	P4G	.265	.201	.184	.217
Total C	3.738	4.896	9.489	6.041	P5G	.282	.229	.092	.201
Lugs:					Total PG	.547	.430	.276	.418
X1L	.002	--	.027	.010	Total P	11.953	11.526	13.006	12.162
X2L	.037	.031	.190	.086	Nondescript:				
X3L	.614	.585	1.682	.960	N1L	2.421	1.832	1.085	1.779
X4L	1.961	1.726	1.392	1.693	N1XL	1.105	.499	.193	.599
X5L	.549	.326	.154	.343	N1K	1.264	.588	.166	.673
Total XL	3.163	2.668	3.445	3.092	N1R	.234	.101	.022	.119
X1F	.002	--	.024	.009	N1GL	.275	.201	.066	.180
X2F	.016	.014	.180	.070	N1GF	.191	.066	.055	.104
X3F	.581	.690	2.356	1.209	N1GR	.080	.022	.026	.043
X4F	3.632	4.284	3.620	3.845	N1GG	.016	.009	.010	.012
X5F	3.332	2.538	1.042	2.304	N2	1.565	.982	.524	1.024
Total XF	7.563	7.526	7.222	7.437	Total N	7.151	4.300	2.147	4.533
X4KR	.673	.559	.435	.556	No Grade 2/	2.229	3.445	1.593	2.422
X3LV	.181	.204	.294	.226	Grand Total	100.000	100.000	100.000	100.000
X4LV	.418	.353	.130	.301					
Total XLV	.599	.557	.424	.527					

1 / Revised.

2/ Includes tobacco defined as decayed, botched, off-type, and nested; also includes unsafe keeping order and unsound.

The use of C4K and N1F was discontinued in 1972 because of insufficient volume.

UNITED STATES DEPARTMENT OF AGRICULTURE
AGRICULTURAL MARKETING SERVICE
WASHINGTON, D. C. 20250

- - -

Official Business

Penalty for Private Use \$300

POSTAGE AND FEES PAID
U.S. DEPARTMENT OF
AGRICULTURE
AGR 101

